LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

# **Billing Information**

Payment Method

Purchase Order PO#: 625526

University of Hong Kong Li Ka Shing Faculty 10A Sassoon Road Pokfulam, HK 0 Hong Kong

## Details

Sample(s) from: NULL

 Collection Date
 Arrival Date
 Approval Date

 21-Nov-2019
 04-Dec-2019
 06-Dec-2019

### **Notes**

Lab. No. 1912HM125, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

# **Diagnostic Summary**

Test	Colony	Tested	+	+/-	?	PDG
H. ganmani Helicobacter Screen PCR	n/d	1	1	0	0	0
H. hepaticus Helicobacter Screen PCR	n/d	1	1	0	0	0
H. typhlonius Helicobacter Screen PCR	n/d	1	1	0	0	0
Helicobacter genus Helicobacter Screen PCR	n/d	1	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting <a href="http://www.criver.com/info/disease\_sheets">http://www.criver.com/info/disease\_sheets</a>.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

## **Notes**

Lab. No. 1912HM125, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

# Molecular Diagnostics: Infectious Disease PCR

Results approved by Peck, DiAnne on 06 Dec 2019

### Helicobacter Screen PCR

	1
	1912HM125,
	Rm.110
Helicobacter genus	+
H. bilis	-
H. ganmani	+
H. hepaticus	+
H. mastomyrinus	-
H. rodentium	-
H. typhlonius	+

### Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR. Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types can effect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.





LTM Customer ID: 38307 The University of Hong Kong U Hong Kong, Lab Animal Unit RADS/GTS Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

**Notes** 

Lab. No. 1912HM125, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

# Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	1912HM125,	Mouse	n/d	Resident		
	Rm.110					





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

**Billing Information** 

Payment Method
Purchase Order
PO#: 625526
University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road

Pokfulam, HK 0 Hong Kong

**Details** 

Sample(s) from: NULL

 Collection Date
 Arrival Date
 Approval Date

 21-Nov-2019
 04-Dec-2019
 09-Dec-2019

**Notes** 

Lab. No. 1912SM125, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

**Diagnostic Summary** 

Test Colony Tested + +/- ? PDG

All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting <a href="http://www.criver.com/info/disease\_sheets">http://www.criver.com/info/disease\_sheets</a>.





Test Results 2019053866 Order #:

LTM Customer ID: 38307 The University of Hong Kong U Hong Kong, Lab Animal Unit RADS/GTS Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

## **Notes**

Lab. No. 1912SM125, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

# Molecular Diagnostics: Infectious Disease PCR

Results approved by Magan, Kyria on 09 Dec 2019

# Assays

	<u>1</u> 1912SM125,
	Rm.110
Streptobacillus moniliformis PCR	-

#### Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types can effect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

### **Notes**

Lab. No. 1912SM125, Location: Minimal Disease Experimental Holding Area - LAU Building (MDA-LAU Bldg)

# Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	1912SM125,	Mouse	n/d	Sentinel/	Adult	Female
	Rm.110			ICR (CD-1)		





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

**Billing Information** 

Payment Method

Purchase Order

PO#: 625526

Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

**Details** 

Sample(s) from: NULL

 Collection Date
 Arrival Date
 Approval Date

 20-Nov-2019
 04-Dec-2019
 09-Dec-2019

**Notes** 

Lab. No. 1912PM101-1912PM112, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

**Diagnostic Summary** 

Test Colony Tested + +/- ? PDG

All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting <a href="http://www.criver.com/info/disease\_sheets">http://www.criver.com/info/disease\_sheets</a>.





Test Results 2019053729 Order #:

LTM Customer ID: 38307 The University of Hong Kong U Hong Kong, Lab Animal Unit RADS/GTS Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

### **Notes**

Lab. No. 1912PM101-1912PM112, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

# Molecular Diagnostics: Infectious Disease PCR

Results approved by Magan, Kyria on 09 Dec 2019

# Assays

	1	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>10</u>
	1912PM101,	1912PM102,	1912PM103,	1912PM104,	1912PM105,	1912PM106,	1912PM107,	1912PM108,	1912PM109,	1912PM110,
	Rm.118	Rm.118	Rm.118	Rm.118	Rm.118	Rm.118	Rm.125	Rm.125	Rm.127	Rm.127
Pneumocystis PCR	-	-	-	-	-	-	-	-	-	-

	<u>11</u>	<u>12</u>
	1912PM1	11, 1912PM112,
	Rm.12	8 Rm.128
Pneumocystis PCR	-	-

#### Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR. Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types can effect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

### **Notes**

Lab. No. 1912PM101-1912PM112, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

# Sample Information

Number	Code	Species	Colony	Strain Age Sex
1	1912PM101, Rm.118	Mouse	n/d	NOD.Cg-Prk 5-6 weeks Male dcscidll2rgt m1Wjl/SzJ (NSG)
2	1912PM102, Rm.118	Mouse	n/d	NOD.Cg-Prk 5-6 weeks Male dcscidll2rgt m1Wjl/SzJ (NSG)
3	1912PM103, Rm.118	Mouse	n/d	NOD.CB17- 5-6 weeks Female Prkdcscid/J (NOD SCID)
4	1912PM104, Rm.118	Mouse	n/d	NOD.CB17- 5-6 weeks Female Prkdcscid/J (NOD SCID)
5	1912PM105, Rm.118	Mouse	n/d	BALB/cAnN 5-6 weeks Female -nu (Nude/+)
6	1912PM106, Rm.118	Mouse	n/d	BALB/cAnN 5-6 weeks Female -nu (Nude/+)
7	1912PM107, Rm.125	Mouse	n/d	Resident 5-6 weeks Male
8	1912PM108, Rm.125	Mouse	n/d	Resident 5-6 weeks Female
9	1912PM109, Rm.127	Mouse	n/d	Resident 5-6 weeks Female
10	1912PM110, Rm.127	Mouse	n/d	Resident 5-6 weeks Female
11	1912PM111, Rm.128	Mouse	n/d	Resident 5-6 weeks Female
12	1912PM112, Rm.128	Mouse	n/d	Resident 5-6 weeks Female



