The University of Hong Kong Charles River Research Animal Diagnostic Services (U Hong Kong, Lab Animal Unit RADS/GTS) (CR RADS)

10A Sassoon Road

Pokfulam, HK 0 Hong Kong

Attn: Mr. Kwong Ming Lam

Circle 139

Circle 139

Attn: Mr. Kwong Ming Lam

Circle 139

Circle

Billing Information

Payment Method
University of Hong Kong
Purchase Order
PO#: 620541
Li Ka Shing Faculty

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection DateArrival DateApproval Date24-May-201905-Jun-201907-Jun-2019

Notes

Lab. No. 1906M1-1906M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test Colony Tested + +/- ? PDG

All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the SPF status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease sheets.





The University of Hong Kong (U Hong Kong, Lab Animal Unit RADS/GTS) 10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Notes

Lab. No. 1906M1-1906M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Serology

Results approved by Kudalis, Diane on 07 Jun 2019

	1 1906M1,	2 1906M2,	<u>3</u> 1906M3,	<u>4</u> 1906M4,	<u>5</u> 1906M5,	<u>6</u> 1906M6,	7 1906M7,	<u>8</u> 1906M8,	9 1906M9,	<u>10</u> 1906M10,
	Rm.206	Rm.206	Rm.206	Rm.207	Rm.207	Rm.207	Rm.208	Rm.208	Rm.208	Rm.209
MFIA MHV	-	_	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	_	-
MFIA MNV	-	-	-	-	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р

	11 1906M11,	12 1906M12,	<u>13</u> 1906M13,	14 1906M14,	15 1906M15,	16 1906M16,	<u>17</u> 1906M17,	<u>18</u> 1906M18,	19 1906M19,	20 1906M20,
	Rm.209	Rm.209	Rm.210	Rm.210	Rm.210	Rm.211	Rm.211	Rm.211	Rm.212	Rm.212
MFIA MHV	-	_	-	-	_	_	_	_	-	_
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р

	<u>21</u>	22	23	24	<u>25</u>	<u>26</u>	<u>27</u>
	1906M21,	1906M22,	1906M23,	1906M24,	1906M25,	1906M26,	1906M27,
	Rm.212	Rm.214	Rm.214	Rm.214	Rm.215	Rm.215	Rm.215
MFIA MHV	_	-	-	-	-	-	-
MFIA MVM	_	-	-	-	-	-	-
MFIA MPV-1	_	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р	Р

Serology Profile: UHK MFIA Mouse Selective Profile





The University of Hong Kong (U Hong Kong, Lab Animal Unit RADS/GTS) 10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 1906M1-1906M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Remarks

MFIA/IFA/ELISA/WIB Results: -= Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff (typically >= 7000 or higher). An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





The University of Hong Kong (U Hong Kong, Lab Animal Unit RADS/GTS) 10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Notes

Lab. No. 1906M1-1906M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Sample Information

lumber	Code	Species	Colony	Strain	Age	Sex	
1	1906M1,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.206			BALB/cAnN			
				-nu (Nude/+)			
2	1906M2,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.206			BALB/cAnN			
				-nu (Nude/+)			
3	1906M3,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.206			BALB/cAnN			
				-nu (Nude/+)			
4	1906M4,	Mouse	n/d	Sentinel/ F1	Adult	Female	
	Rm.207			(C57BL/6N			
				x CBA/Ca)			
5	1906M5,	Mouse	n/d	Sentinel/ F1	Adult	Female	
	Rm.207			(C57BL/6N			
				x CBA/Ca)			
6	1906M6,	Mouse	n/d	Sentinel/ F1	Adult	Female	
	Rm.207			(C57BL/6N			
				x CBA/Ca)			
7	1906M7,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.208			CBA/Ca			
8	1906M8,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.208			CBA/Ca			
9	1906M9,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.208			CBA/Ca			
10	1906M10,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.209			CBA/Ca			
11	1906M11,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.209			CBA/Ca			
12	1906M12,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.209			CBA/Ca			
13	1906M13,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.210			BALB/cAnN	, tuuit		
				-nu (Nude/+)			
14	1906M14,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.210		, =	BALB/cAnN	7 tault	romaio	
	1411.210			-nu (Nude/+)			
15	1906M15,	Mouse	n/d	Sentinel/	Adult	Female	
.5	Rm.210			BALB/cAnN	, wait	. omaio	
	1411.210			-nu (Nude/+)			
16	1906M16,	Mouse	n/d	Sentinel/	Adult	Female	
.0	Rm.211	Modoo	11/ 4	BALB/cAnN	, wuit	i omulo	
	1111.411			-nu (Nude/+)			
				-nu (Nuue/+)			





The University of Hong Kong (U Hong Kong, Lab Animal Unit RADS/GTS) 10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Notes

Lab. No. 1906M1-1906M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Sample Information

Number	Code	Species	Colony	Strain Age	Sex	
17	1906M17,	Mouse	n/d	Sentinel/ Adult	Female	
	Rm.211			BALB/cAnN		
				-nu (Nude/+)		
18	1906M18,	Mouse	n/d	Sentinel/ Adult	Female	
	Rm.211			BALB/cAnN		
				-nu (Nude/+)		
19	1906M19,	Mouse	n/d	Sentinel/ Adult	Female	
	Rm.212			BALB/cAnN		
				-nu (Nude/+)		
20	1906M20,	Mouse	n/d	Sentinel/ Adult	Female	
	Rm.212			BALB/cAnN		
				-nu (Nude/+)		
21	1906M21,	Mouse	n/d	Sentinel/ Adult	Female	
	Rm.212			BALB/cAnN		
				-nu (Nude/+)		
22	1906M22,	Mouse	n/d	Sentinel/ Adult	Female	
	Rm.214			BALB/c		
23	1906M23,	Mouse	n/d	Sentinel/ Adult	Female	
	Rm.214			BALB/c		
24	1906M24,	Mouse	n/d	Sentinel/ Adult	Female	
	Rm.214			BALB/c		
25	1906M25,	Mouse	n/d	Sentinel/ Adult	Female	
	Rm.215			ICR (CD-1)		
26	1906M26,	Mouse	n/d	Sentinel/ Adult	Female	
	Rm.215			ICR (CD-1)		
27	1906M27,	Mouse	n/d	Sentinel/ Adult	Female	
	Rm.215			ICR (CD-1)		





Test Results 2019026216 Order #:

The University of Hong Kong Charles River Research Animal Diagnostic Services (CR RADS)

(U Hong Kong, Lab Animal Unit RADS/GTS)

10A Sassoon Road 261 Ballardvale Street Pokfulam, HK 0 Hong Kong Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method University of Hong Kong Li Ka Shing Faculty PO#: 620541 Purchase Order 10A Sassoon Road

Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: **NULL**

Collection Date Arrival Date Approval Date 27-May-2019 05-Jun-2019 06-Jun-2019

Notes

Lab. No. 1906R1-1906R9, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test PDG Colony **Tested** ? All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the SPF status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent Technical Sheets, which you can view by visiting http://www.criver.com/info/disease sheets.





The University of Hong Kong (U Hong Kong, Lab Animal Unit RADS/GTS) 10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Notes

Lab. No. 1906R1-1906R9, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Serology

Results approved by Gonzalez, Julio on 06 Jun 2019

	1 1906R1,	<u>2</u> 1906R2,	<u>3</u> 1906R3,	<u>4</u> 1906R4,	<u>5</u> 1906R5,	<u>6</u> 1906R6,	7 1906R7,	<u>8</u> 1906R8,	9 1906R9,
	Rm.220	Rm.220	Rm.220	Rm.222	Rm.222	Rm.222	Rm.232	Rm.232	Rm.232
MFIA PVM	-	-	-	-	-	-	-	-	-
MFIA SDAV	-	-	-	-	-	-	-	-	-
MFIA KRV	-	-	-	-	-	-	-	-	-
MFIA H-1	-	-	-	-	-	-	-	-	-
MFIA RPV	-	-	-	-	-	-	-	-	-
MFIA RMV	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-
MFIA RTV	-	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-	-
MFIA CPIL	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р	Р	Р	Р

Serology Profile: UHK MFIA Rat Selective Profile

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff (typically >= 7000 or higher). An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





The University of Hong Kong (U Hong Kong, Lab Animal Unit RADS/GTS) 10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Notes

Lab. No. 1906R1-1906R9, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex	
1	1906R1,	Rat	n/d	Sentinel/	Adult	Female	
	Rm.220			CD(SD)IGS			
				(Sprague			
				Dawley)			
2	1906R2,	Rat	n/d	Sentinel/	Adult	Female	
	Rm.220			CD(SD)IGS			
				(Sprague			
				Dawley)			
3	1906R3,	Rat	n/d	Sentinel/	Adult	Female	
	Rm.220			CD(SD)IGS			
				(Sprague			
				Dawley)			
4	1906R4,	Rat	n/d	Sentinel/	Adult	Female	
	Rm.222			CD(SD)IGS			
				(Sprague			
				Dawley)			
5	1906R5,	Rat	n/d	Sentinel/	Adult	Female	
	Rm.222			CD(SD)IGS			
				(Sprague			
				Dawley)			
6	1906R6,	Rat	n/d	Sentinel/	Adult	Female	
	Rm.222			CD(SD)IGS			
				(Sprague			
				Dawley)			
7	1906R7,	Rat	n/d	Sentinel/	Adult	Female	
	Rm.232			CD(SD)IGS			
				(Sprague			
				Dawley)			
8	1906R8,	Rat	n/d	Sentinel/	Adult	Female	
	Rm.232			CD(SD)IGS			
				(Sprague			
				Dawley)			
9	1906R9,	Rat	n/d	Sentinel/	Adult	Female	
	Rm.232			CD(SD)IGS			
				(Sprague			
				Dawley)			





The University of Hong Kong
(U Hong Kong, Lab Animal Unit RADS/GTS)

Charles River Research Animal Diagnostic Services
(CR RADS)

10A Sassoon Road

261 Ballardvale Street

Pokfulam, HK 0 Hong Kong

Receiving Dock, Bldg 22

Attn: Mr. Kwong Ming Lam

Wilmington MA 01887 USA

Billing Information

Payment Method

Purchase Order

PO#: 620541

Li Ka Shing Faculty

10A Sassoon Road

Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date Arrival Date Approval Date 27-May-2019 05-Jun-2019 07-Jun-2019

Notes

Lab. No. 1906Gp1-1906Gp3, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test Colony Tested + +/- ? PDG

All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the SPF status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease-sheets.

Serology

Results approved by Kudalis, Diane on 07 Jun 2019

	1 1906Gp1,	2 1906Gp2,	3 1906Gp3,
	Rm.202	Rm.202	Rm.202
MFIA SEND	-	_	-
MFIA PIV-3	-	-	-
MFIA GAV	-	-	-
MFIA Anti-Ig	Р	Р	Р

Serology Profile: UHK MFIA Guinea Pig Selective Profile

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff (typically >= 7000 or higher). An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





The University of Hong Kong (U Hong Kong, Lab Animal Unit RADS/GTS) 10A Sassoon Road Pokfulam, HK 0 Hong Kong Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Notes

Lab. No. 1906Gp1-1906Gp3, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Sample Information

Attn: Mr. Kwong Ming Lam

Number	Code	Species	Colony	Strain	Age	Sex
1	1906Gp1, Rm.202	Guinea pig	n/d	Sentinel/ DH (Dunkin Hartley)	Adult	Male
2	1906Gp2, Rm.202	Guinea pig	n/d	Sentinel/ DH (Dunkin Hartley)	Adult	Male
3	1906Gp3, Rm.202	Guinea pig	n/d	Sentinel/ DH (Dunkin Hartley)	Adult	Male





The University of Hong Kong (U Hong Kong, Lab Animal Unit RADS/GTS)

Charles River Research Animal Diagnostic Services (CR RADS)

10A Sassoon Road

261 Ballardvale Street Receiving Dock, Bldg 22

Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

Wilmington MA 01887 USA

Billing Information

Payment Method
Purchase Order

PO#: 620541

University of Hong Kong Li Ka Shing Faculty 10A Sassoon Road Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date Arrival Date Approval Date 29-May-2019 05-Jun-2019 06-Jun-2019

Notes

Lab. No. 1906Rb1-1906Rb6, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test Colony Tested + +/- ? PDG

All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the SPF status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease sheets.

Serology

Results approved by Gonzalez, Julio on 06 Jun 2019

	1 1906Rb1,	2 1906Rb2,	3 1906Rb3,	4 1906Rb4,	<u>5</u> 1906Rb5,	<u>6</u> 1906Rb6,
	Rm.233	Rm.233	Rm.233	Rm.233	Rm.233	Rm.233
MFIA ROTA	-	-	-	-	-	-
MFIA ECUN	-	-	-	-	-	-
MFIA CPIL	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р
ELISA RHDV	-	-	-	-	-	-

Serology Profile: UHK MFIA Rabbit Selective Profile

Remarks

MFIA/IFA/ELISA/WIB Results: -= Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff (typically >= 7000 or higher). An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





The University of Hong Kong (U Hong Kong, Lab Animal Unit RADS/GTS) 10A Sassoon Road Pokfulam, HK 0 Hong Kong Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Notes

Lab. No. 1906Rb1-1906Rb6, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Sample Information

Attn: Mr. Kwong Ming Lam

Number	Code	Species	Colony	Strain	Age	Sex
1	1906Rb1,	Rabbit	n/d	NZW (New		Male
	Rm.233			Zealand		
				White)		
2	1906Rb2,	Rabbit	n/d	NZW (New		Male
	Rm.233			Zealand		
				White)		
3	1906Rb3,	Rabbit	n/d	NZW (New		Female
	Rm.233			Zealand		
				White)		
4	1906Rb4,	Rabbit	n/d	NZW (New		Female
	Rm.233			Zealand		
				White)		
5	1906Rb5,	Rabbit	n/d	NZW (New		Female
	Rm.233			Zealand		
				White)		
6	1906Rb6,	Rabbit	n/d	NZW (New		Female
	Rm.233			Zealand		
				White)		





GLOSSARY OF TERMS

Agent	Abbreviation	Family/Order	Subfam/Genus	Host Species*
Adenovirus	MAV, RAD	Adenoviridae	Mastadenovirus	M, R
Aleutian disease virus	ADV	Parvoviridae	Amdovirus	F
Cilia-associated respiratory bacillus	CARB	Unclassified	Unclassified	M, R, Rb
Clostridium piliforme	CPIL	Clostridaceae	Clostridium	M, R, Rb, F
Distemper virus	CDV	Paramyxoviridae	Morbillivirus	F
Ectromelia virus (Mousepox)	ECTRO	Poxviridae	Orthopoxvirus	M
Eimeria	EIM	Eimeriidae	Eimeria	Rb
Encephalitozoon cuniculi	ECUN	Pleistrophoridiae	Encephalitozoon	M, R, GP, H, Rb
Encephalomyocarditis virus	EMCV	Picornaviridae	Cardiovirus	M, R
Guinea pig adenovirus	GAV	Adenoviridae	Mastadenovirus	GP
Guinea pig cytomegalovirus	GpCMV	Herpesviridae	Betaherpesvirus	GP
Hantaan	HTNV (HANT)	Bunyaviridae	Hantavirus	M, R
nfectious pancreatic necrosis virus	IPNV	Birnaviridae	Aquabirnavirus	Z
nfectious spleen and kidney necrosis virus	ISKNV	Iridoviridae	Megalocytivirus	Z
nfluenza A virus	INFA	Orthomyxoviridae	Influenzavirus A	F
Kilham rat virus	KRV	Parvoviridae	Parvovirus	R
actate dehydrogenase-elevating virus	LDV/LDH	Arteriviridae	Arterivirus	М
jungan virus	LV	Picornaviridae	Parechovirus	R
ymphocytic choriomeningitis virus	LCMV	Arenaviridae	Arenavirus	M, R, GP, H
Minute virus of mice	MVM	Parvoviridae	Parvovirus	M
Mouse cytomegalovirus	MCMV	Herpesviridae	Betaherpesvirus	M
Mouse hepatitis virus	MHV	Coronaviridae	Coronavirus	M
Mouse parvovirus	MPV-1/-2/-5	Parvoviridae	Parvovirus	M
	K	Polyomaviridae		M
Mouse pneumonitis virus	MTLV		Polyomavirus	M
Mouse thymic virus		Herpesviridae	Unclassified	
Murine norovirus	MNV	Caliciviridae	Norovirus	M
Murine rotavirus	EDIM/ROTA-A	Reoviridae	Rotavirus	M
Mycoplasma arthritidis	MARTH	Mycoplasmataceae	Mycoplasma	M, R
Mycoplasma pulmonis	MPUL	Mycoplasmataceae	Mycoplasma	M, R
Myxomatosis virus	MYXO	Poxviridae	Leporipoxirus	Rb
Parainfluenza virus (type 1)	PIV-1	Paramyxoviridae	Respirovirus	Rb
Parainfluenza virus (type 2)	PIV-2	Paramyxoviridae	Rubulavirus	Rb
Parainfluenza virus (type 3)	PIV-3	Paramyxoviridae	Respirovirus	GP
Parainfluenza virus (type 5)	PIV-5	Paramyxoviridae	Rubulavirus	GP, H
Parvovirus NS-1	NS-1	Parvoviridae	Parvovirus	M, R
Pneumocystis carinii	PCAR	Pneumocystidaceae	Pneumocystis	R
Pneumonia virus of mice	PVM	Paramyxoviridae	Pneumovirus	M, R, GP, H
Polyoma virus	POLY	Polyomaviridae	Polyomavirus	М
Prospect Hill virus	PHV	Bunyaviridae	Hantavirus	M
Rabbit adenovirus	RbAV	Adenoviridae	Mastadenovirus	Rb
Rabbit hemorrhagic disease virus	RHDV	Caliciviridae	Lagovirus	Rb
Rabbit rotavirus	ROTA	Reoviridae	Rotavirus	Rb
Rat coronavirus/sialodacryoadentitis virus	RCV, SDAV	Coronaviridae	Coronavirus	R
Rat cytomegalovirus	RCMV	Herpesviridae	Betaherpesvirus	R
Rat minute virus	RMV	Parvoviridae	Parvovirus	R
Rat parvovirus	RPV	Parvoviridae	Parvovirus	R
Rat polyomavirus	RatPyV2/RPyV2	Polyomaviridae	Unclassified	R
Rat rotavirus (infectious diarrhea of infant rats)	IDIR/ROTA-B	Reoviridae	Rotavirus	R
Rat theilovirus (Theiler's-like virus of rats)	RTV	Picornaviridae	Theilovirus	R
Reovirus	REO	Reoviridae	Orthoreovirus	M. R. GP. H
Rabbit picobirnavirus	RPBV	Picobirnaviridae	Picobirnavirus	Rb
Sendai virus	SEND	Paramyxoviridae	Respirovirus	M, R, GP, H
Seoul virus	SEO	Bunyaviridae	Hantavirus	M, R
Theiler's murine encephalomyelitis virus	TMEV (GDVII)	Picornaviridae	Cardiovirus	M, R
Toolan's H-1 virus	H-1	Parvoviridae	Parvovirus	R
Toxoplasma gondii	TOXO	Sarcocystidae	Toxoplasma	Rb
Treponema paraluis-cuniculi	TREP	Spirochaetales	Treponema	Rb

^{*} Species: M = mouse, R = rat, GP = guinea pig, H = hamster, Rb = rabbit, F = ferret, Z = zebrafish

Agent	Abbreviation	Family/Order	Subfam/Genus	Host Species
Epstein-Barr virus	EBV	Herpesviridae	Lymphocryptovirus	Simian
Hepatitis A	HEP-A	Picornaviridae	Hepatovirus	Simian
Herpes B virus	HBV	Herpesviridae	Alphaherpesvirus	Simian
Herpes virus papio-2	HVP-2	Herpesviridae	Alphaherpesvirus	Simian
Lymphocryptovirus	LCV	Herpesviridae	Lymphocryptovirus	Simian
Macaque (Rhesus) rhadinovirus	MRV	Herpesviridae	Rhadinovirus	Simian
Malaria (Plasmodium)	MAL	Plasmodiidae	Plasmodium	Simian
Measles virus	MV	Paramyxoviridae	Morbillivirus	Simian
Parainfluenza virus (type 5)	PIV-5 (SV-5)	Paramyxoviridae	Rubulavirus	Simian
Simian agent 8	SA-8	Herpesviridae	Simplexvirus	Simian
Simian cytomegalovirus	SCMV/CMV	Herpesviridae	Cytomegalovirus	Simian
Simian foamy virus	SFV	Retroviridae	Spumavirus	Simian
Simian immunodeficiency virus	SIV	Retroviridae	Lentivirus	Simian
Simian rotavirus	SA-11	Reoviridae	Rotavirus	Simian
Simian T-lymphotropic virus	STLV	Retroviridae	Deltaretrovirus	Simian
Simian type D retrovirus	SRV	Retroviridae	Betaretrovirus	Simian
Simian varicella virus	SVV	Herpesviridae	Varicellovirus	Simian
Simian virus 40	SV-40	Polyomaviridae	Polyomavirus	Simian
Trypanosoma cruzi (Chagas Disease)	T. cruzi/CHA	Trypanosomatidae	Trypanosoma	Simian