

Test Results

Order #: 2019038751

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method
Purchase Order PO#: 623032

University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
30-Aug-2019	06-Sep-2019	10-Sep-2019

Notes

Lab. No. 1909M201-1909M208, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
MFIA MHV UHK MFIA Mouse Full Profile	n/d	8	8	0	0	0
MFIA MNV UHK MFIA Mouse Full Profile	n/d	8	8	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2019038751

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 1909M201-1909M208, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Serology

Results approved by Castillo, Luz on 10 Sep 2019

	<u>1</u> 1909M201, Rm.AR6	<u>2</u> 1909M202, Rm.AR6	<u>3</u> 1909M203, Rm.AR7	<u>4</u> 1909M204, Rm.AR7	<u>5</u> 1909M205, Rm.AR8	<u>6</u> 1909M206, Rm.AR8	<u>7</u> 1909M207, Rm.AR9	<u>8</u> 1909M208, Rm.AR9
MFIA SEND	-	-	-	-	-	-	-	-
MFIA PVM	-	-	-	-	-	-	-	-
MFIA MHV	+	+	+	+	+	+	+	+
MFIA MVM	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-
MFIA MNV	+	+	+	+	+	+	+	+
MFIA GDVII	-	-	-	-	-	-	-	-
MFIA REO	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-
MFIA LCMV	-	-	-	-	-	-	-	-
MFIA ECTRO	-	-	-	-	-	-	-	-
MFIA MAV 1 & 2	-	-	-	-	-	-	-	-
MFIA MCMV	-	-	-	-	-	-	-	-
MFIA K	-	-	-	-	-	-	-	-
MFIA MTLV	-	-	-	-	-	-	-	-
MFIA POLY	-	-	-	-	-	-	-	-
MFIA HTNV (HANT)	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-
MFIA CARB	-	-	-	-	-	-	-	-
MFIA LDV	-	-	-	-	-	-	-	-
MFIA CPIL	-	-	-	-	-	-	-	-
MFIA ECUN	-	-	-	-	-	-	-	-
MFIA PHV	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P

Serology Profile: UHK MFIA Mouse Full Profile

Test Results

Order #: **2019038751**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 1909M201-1909M208, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

Test Results

Order #: 2019038751

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 1909M201-1909M208, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	1909M201, Rm.AR6	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
2	1909M202, Rm.AR6	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
3	1909M203, Rm.AR7	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
4	1909M204, Rm.AR7	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
5	1909M205, Rm.AR8	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
6	1909M206, Rm.AR8	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
7	1909M207, Rm.AR9	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
8	1909M208, Rm.AR9	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female

Test Results

Order #: **2019038765**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method
Purchase Order PO#: 623032

University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
30-Aug-2019	06-Sep-2019	09-Sep-2019

Notes

Lab. No. 1909R201-1909R202, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
MFIA PCAR ("RRV") UHK MFIA Rat Full Profile	n/d	2	2	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2019038765

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 1909R201-1909R202, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Serology

Results approved by Castillo, Luz on 09 Sep 2019

	1 1909R201, Rm.AR1	2 1909R202, Rm.AR1
MFIA SEND	-	-
MFIA PVM	-	-
MFIA SDAV	-	-
MFIA KRV	-	-
MFIA H-1	-	-
MFIA RPV	-	-
MFIA RMV	-	-
MFIA NS-1	-	-
MFIA REO	-	-
MFIA RTV	-	-
MFIA MAV 1 & 2	-	-
MFIA HTNV (HANT)	-	-
MFIA MPUL	-	-
MFIA ECUN	-	-
MFIA CARB	-	-
MFIA PCAR ("RRV")	+	+
MFIA CPIL	-	-
MFIA LCMV	-	-
MFIA IDIR (ROTA-B)	-	-
MFIA Anti-Ig	P	P

Serology Profile: UHK MFIA Rat Full Profile

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

Test Results

Order #: 2019038765

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 1909R201-1909R202, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	1909R201, Rm.AR1	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
2	1909R202, Rm.AR1	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female

Test Results

Order #: **2019038752**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method
Purchase Order PO#: 623032

University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
29-Aug-2019	06-Sep-2019	10-Sep-2019

Notes

Lab. No. 1909M501-1909M502, Location: Conventional Experimental Holding Area - Kadoorie Biological Sciences Building (CA-KA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
MFIA MHV UHK MFIA Mouse Full Profile	n/d	2	2	0	0	0
MFIA MNV UHK MFIA Mouse Full Profile	n/d	2	2	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2019038752**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 1909M501-1909M502, Location: Conventional Experimental Holding Area - Kadoorie Biological Sciences Building (CA-KA)

Serology

Results approved by Castillo, Luz on 10 Sep 2019

	<u>1</u> 1909M501, Rm.8S22	<u>2</u> 1909M502, Rm.8S22
MFIA SEND	-	-
MFIA PVM	-	-
MFIA MHV	+	+
MFIA MVM	-	-
MFIA MPV-1	-	-
MFIA MPV-2	-	-
MFIA MPV-5	-	-
MFIA NS-1	-	-
MFIA MNV	+	+
MFIA GDVII	-	-
MFIA REO	-	-
MFIA EDIM (ROTA-A)	-	-
MFIA LCMV	-	-
MFIA ECTRO	-	-
MFIA MAV 1 & 2	-	-
MFIA MCMV	-	-
MFIA K	-	-
MFIA MTLV	-	-
MFIA POLY	-	-
MFIA HTNV (HANT)	-	-
MFIA MPUL	-	-
MFIA CARB	-	-
MFIA LDV	-	-
MFIA CPIL	-	-
MFIA ECUN	-	-
MFIA PHV	-	-
MFIA Anti-Ig	P	P

Serology Profile: UHK MFIA Mouse Full Profile

Test Results

Order #: 2019038752

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 1909M501-1909M502, Location: Conventional Experimental Holding Area - Kadoorie Biological Sciences Building (CA-KA)

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

Test Results

Order #: **2019038752**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 1909M501-1909M502, Location: Conventional Experimental Holding Area - Kadoorie Biological Sciences Building (CA-KA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	1909M501, Rm.8S22	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
2	1909M502, Rm.8S22	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female

RESOURCES

GLOSSARY OF TERMS

Agent	Abbreviation	Family/Order	Subfam/Genus	Host Species*
Adenovirus	MAV, RAD	Adenoviridae	Mastadenovirus	M, R
Aleutian disease virus	ADV	Parvoviridae	Amdovirus	F
Cilia-associated respiratory bacillus	CARB	Unclassified	Unclassified	M, R, Rb
Clostridium piliforme	CPIL	Clostridaceae	Clostridium	M, R, Rb, F
Distemper virus	CDV	Paramyxoviridae	Morbillivirus	F
Ectromelia virus (Mousepox)	ECTRO	Poxviridae	Orthopoxvirus	M
Eimeria	EIM	Eimeriidae	Eimeria	Rb
Encephalitozoon cuniculi	ECUN	Pleistophoridae	Encephalitozoon	M, R, GP, H, Rb
Encephalomyocarditis virus	EMCV	Picornaviridae	Cardiovirus	M, R
Guinea pig adenovirus	GAV	Adenoviridae	Mastadenovirus	GP
Guinea pig cytomegalovirus	GpCMV	Herpesviridae	Betaherpesvirus	GP
Hantaan	HTNV (HANT)	Bunyaviridae	Hantavirus	M, R
Infectious pancreatic necrosis virus	IPNV	Birnaviridae	Aquabirnavirus	Z
Infectious spleen and kidney necrosis virus	ISKNV	Iridoviridae	Megalocytivirus	Z
Influenza A virus	INFA	Orthomyxoviridae	Influenzavirus A	F
Kilham rat virus	KRV	Parvoviridae	Parvovirus	R
Lactate dehydrogenase-elevating virus	LDV/LDH	Arteriviridae	Arterivirus	M
Ljungan virus	LV	Picornaviridae	Parechovirus	R
Lymphocytic choriomeningitis virus	LCMV	Arenaviridae	Arenavirus	M, R, GP, H
Minute virus of mice	MVM	Parvoviridae	Parvovirus	M
Mouse cytomegalovirus	MCMV	Herpesviridae	Betaherpesvirus	M
Mouse hepatitis virus	MHV	Coronaviridae	Coronavirus	M
Mouse parvovirus	MPV-1/-2/-5	Parvoviridae	Parvovirus	M
Mouse pneumonitis virus	K	Polyomaviridae	Polyomavirus	M
Mouse thymic virus	MTLV	Herpesviridae	Unclassified	M
Murine norovirus	MNV	Caliciviridae	Norovirus	M
Murine rotavirus	EDIM/ROTA-A	Reoviridae	Rotavirus	M
Mycoplasma arthritis	MARTH	Mycoplasmataceae	Mycoplasma	M, R
Mycoplasma pulmonis	MPUL	Mycoplasmataceae	Mycoplasma	M, R
Myxomatosis virus	MYXO	Poxviridae	Leporipoxvirus	Rb
Parainfluenza virus (type 1)	PIV-1	Paramyxoviridae	Respirovirus	Rb
Parainfluenza virus (type 2)	PIV-2	Paramyxoviridae	Rubulavirus	Rb
Parainfluenza virus (type 3)	PIV-3	Paramyxoviridae	Respirovirus	GP
Parainfluenza virus (type 5)	PIV-5	Paramyxoviridae	Rubulavirus	GP, H
Parvovirus NS-1	NS-1	Parvoviridae	Parvovirus	M, R
Pneumocystis carinii	PCAR	Pneumocystidaceae	Pneumocystis	R
Pneumonia virus of mice	PVM	Paramyxoviridae	Pneumovirus	M, R, GP, H
Polyoma virus	POLY	Polyomaviridae	Polyomavirus	M
Prospect Hill virus	PHV	Bunyaviridae	Hantavirus	M
Rabbit adenovirus	RbAV	Adenoviridae	Mastadenovirus	Rb
Rabbit hemorrhagic disease virus	RHDV	Caliciviridae	Lagovirus	Rb
Rabbit rotavirus	ROTA	Reoviridae	Rotavirus	Rb
Rat coronavirus/sialodacryoadentitis virus	RCV, SDAV	Coronaviridae	Coronavirus	R
Rat cytomegalovirus	RCMV	Herpesviridae	Betaherpesvirus	R
Rat minute virus	RMV	Parvoviridae	Parvovirus	R
Rat parvovirus	RPV	Parvoviridae	Parvovirus	R
Rat polyomavirus	RatPV2/RPyV2	Polyomaviridae	Unclassified	R
Rat rotavirus (infectious diarrhea of infant rats)	IDIR/ROTA-B	Reoviridae	Rotavirus	R
Rat theilovirus (Theiler's-like virus of rats)	RTV	Picornaviridae	Theilovirus	R
Reovirus	REO	Reoviridae	Orthoreovirus	M, R, GP, H
Rabbit picobirnavirus	RPBV	Picobirnaviridae	Picobirnavirus	Rb
Sendai virus	SEND	Paramyxoviridae	Respirovirus	M, R, GP, H
Seoul virus	SEO	Bunyaviridae	Hantavirus	M, R
Theiler's murine encephalomyelitis virus	TMEV (GDVII)	Picornaviridae	Cardiovirus	M, R
Toolan's H-1 virus	H-1	Parvoviridae	Parvovirus	R
Toxoplasma gondii	TOXO	Sarcocystidae	Toxoplasma	Rb
Treponema paraluis-cuniculi	TREP	Spirochaetales	Treponema	Rb

* Species: M = mouse, R = rat, GP = guinea pig, H = hamster, Rb = rabbit, F = ferret, Z = zebrafish

Agent	Abbreviation	Family/Order	Subfam/Genus	Host Species
Epstein-Barr virus	EBV	Herpesviridae	Lymphocryptovirus	Simian
Hepatitis A	HEP-A	Picornaviridae	Hepatovirus	Simian
Herpes B virus	HBV	Herpesviridae	Alphaherpesvirus	Simian
Herpes virus papio-2	HVP-2	Herpesviridae	Alphaherpesvirus	Simian
Lymphocryptovirus	LCV	Herpesviridae	Lymphocryptovirus	Simian
Macaque (Rhesus) rhadinovirus	MRV	Herpesviridae	Rhadinovirus	Simian
Malaria (Plasmodium)	MAL	Plasmodiidae	Plasmodium	Simian
Measles virus	MV	Paramyxoviridae	Morbillivirus	Simian
Parainfluenza virus (type 5)	PIV-5 (SV-5)	Paramyxoviridae	Rubulavirus	Simian
Simian agent 8	SA-8	Herpesviridae	Simplexvirus	Simian
Simian cytomegalovirus	SCMV/CMV	Herpesviridae	Cytomegalovirus	Simian
Simian foamy virus	SFV	Retroviridae	Spumavirus	Simian
Simian immunodeficiency virus	SIV	Retroviridae	Lentivirus	Simian
Simian rotavirus	SA-11	Reoviridae	Rotavirus	Simian
Simian T-lymphotropic virus	STLV	Retroviridae	Deltaretrovirus	Simian
Simian type D retrovirus	SRV	Retroviridae	Betaretrovirus	Simian
Simian varicella virus	SVV	Herpesviridae	Varicellovirus	Simian
Simian virus 40	SV-40	Polyomaviridae	Polyomavirus	Simian
Trypanosoma cruzi (Chagas Disease)	T. cruzi/CHA	Trypanosomatidae	Trypanosoma	Simian