LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

**Billing Information** 

Payment Method

Purchase Order

PO#: 635297

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

 Collection Date
 Arrival Date
 Approval Date

 02-Dec-2020
 11-Dec-2020
 11-Dec-2020

**Notes** 

Lab. No. 2012M201-2012M206, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

**Diagnostic Summary** ? PDG Test Colony **Tested** +/-MFIA MHV n/d 6 6 0 0 0 **UHK MFIA Mouse Selective Profile** 6 0 0 6 0 n/d MFIA MNV **UHK MFIA Mouse Selective Profile** 

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting <a href="http://www.criver.com/info/disease">http://www.criver.com/info/disease</a> sheets.





<sup>+ =</sup> Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Attn: Ms. Lily Lee

#### **Notes**

Lab. No. 2012M201-2012M206, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

## Serology

Results approved by Wunderlich, Janet on 11 Dec 2020

	1	2	<u>3</u>	4	<u>5</u>	<u>6</u>
	2012M201,	2012M202,	2012M203,	2012M204,	2012M205,	2012M206
	Rm.AR6	Rm.AR6	Rm.AR7	Rm.AR7	Rm.AR8	Rm.AR8
MFIA MHV	+	+	+	+	+	+
MFIA MVM	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-
MFIA MNV	+	+	+	+	+	+
MFIA GDVII	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р

Serology Profile: UHK MFIA Mouse Selective Profile

### Remarks

MFIA/IFA/ELISA/WIB Results: -= Negative; +/-= Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically >= 7000. An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Attn: Ms. Lily Lee

### **Notes**

Lab. No. 2012M201-2012M206, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Number	Code	Species	Colony	Strain	Age	Sex
1	2012M201,	Mouse	n/d	Sentinel/	Adult	Female
	Rm.AR6			ICR (CD-1)		
2	2012M202,	Mouse	n/d	Sentinel/	Adult	Female
	Rm.AR6			ICR (CD-1)		
3	2012M203,	Mouse	n/d	Sentinel/	Adult	Female
	Rm.AR7			ICR (CD-1)		
4	2012M204,	Mouse	n/d	Sentinel/	Adult	Female
	Rm.AR7			ICR (CD-1)		
5	2012M205,	Mouse	n/d	Sentinel/	Adult	Female
	Rm.AR8			ICR (CD-1)		
6	2012M206,	Mouse	n/d	Sentinel/	Adult	Female
	Rm.AR8			ICR (CD-1)		





Test Results 2020051267 Order #:

LTM Customer ID: 38307 The University of Hong Kong

**U Hong Kong Ctr for Comparative Med** 

Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

### **Billing Information**

Payment Method

Purchase Order PO#: 635297

University of Hong Kong 10A Sassoon Road Pokfulam, HK 0 Hong Kong

### **Details**

NULL Sample(s) from:

Collection Date Arrival Date Approval Date 02-Dec-2020 11-Dec-2020 18-Dec-2020

### **Notes**

Lab. No. 2012M207-2012M208, Location: Conventional Experimental Holding Area - Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

# Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
MFIA MHV	n/d	2	2	0	0	0
UHK MFIA Mouse Full Profile						
MFIA MNV	n/d	2	2	0	0	0
UHK MFIA Mouse Full Profile						

<sup>+ =</sup> Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent Technical Sheets, which you can view by visiting http://www.criver.com/info/disease sheets.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Attn: Ms. Lily Lee

### **Notes**

Lab. No. 2012M207-2012M208, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

# Serology

Results approved by Gonzalez, Julio on 18 Dec 2020

	<b>1</b> 2012M207,	<b>2</b> 2012M208,
	Rm.AR10	Rm.AR10
MFIA SEND	-	-
MFIA PVM	-	-
MFIA MHV	+	+
MFIA MVM	-	-
MFIA MPV-1	-	-
MFIA MPV-2	-	-
MFIA MPV-5	-	-
MFIA NS-1	-	-
MFIA MNV	+	+
MFIA GDVII	-	-
MFIA REO	-	-
MFIA EDIM (ROTA-A)	-	-
MFIA LCMV	-	-
MFIA ECTRO	-	-
MFIA MAV 1 & 2	-	-
MFIA MCMV	-	-
MFIA K	-	-
MFIA MTLV	-	-
MFIA POLY	-	-
MFIA HTNV (HANT)	-	-
MFIA MPUL	-	_
MFIA CARB	-	-
MFIA LDV	-	_
MFIA CPIL	-	_
MFIA ECUN	-	-
MFIA PHV	-	-
MFIA Anti-Ig	Р	Р

Serology Profile: UHK MFIA Mouse Full Profile

Remarks





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Attn: Ms. Lily Lee

#### **Notes**

Lab. No. 2012M207-2012M208, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically >= 7000. An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

### **Notes**

Lab. No. 2012M207-2012M208, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Number	Code	Species	Colony	Strain	Age	Sex
1	2012M207,	Mouse	n/d	Sentinel/	Adult	Female
	Rm.AR10			ICR (CD-1)		
2	2012M208,	Mouse	n/d	Sentinel/	Adult	Female
	Rm.AR10			ICR (CD-1)		





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

**Billing Information** 

Payment Method

Purchase Order

PO#: 635297

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

 Collection Date
 Arrival Date
 Approval Date

 02-Dec-2020
 11-Dec-2020
 11-Dec-2020

**Notes** 

Lab. No. 2012M301-2012M302, Location: Conventional Experimental Holding Area, Dexter H.C. Man Building (CA-DMB)

**Diagnostic Summary** 

Test	Colony	Tested	+	+/-	?	PDG
MFIA MHV	n/d	2	2	0	0	0
UHK MFIA Mouse Full Profile						
MFIA MNV	n/d	2	2	0	0	0
UHK MFIA Mouse Full Profile						

<sup>+ =</sup> Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting <a href="http://www.criver.com/info/disease\_sheets">http://www.criver.com/info/disease\_sheets</a>.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Attn: Ms. Lily Lee

#### **Notes**

Lab. No. 2012M301-2012M302, Location: Conventional Experimental Holding Area, Dexter H.C. Man Building (CA-DMB)

## Serology

Results approved by Wunderlich, Janet on 11 Dec 2020

	<b>1</b> 2012M301,	<b>2</b> 2012M302,
	Rm.E217	Rm.E217
MFIA SEND	-	-
MFIA PVM	-	-
MFIA MHV	+	+
MFIA MVM	-	-
MFIA MPV-1	-	-
MFIA MPV-2	-	-
MFIA MPV-5	-	-
MFIA NS-1	-	-
MFIA MNV	+	+
MFIA GDVII	-	-
MFIA REO	-	-
MFIA EDIM (ROTA-A)	-	-
MFIA LCMV	-	-
MFIA ECTRO	-	-
MFIA MAV 1 & 2	-	-
MFIA MCMV	-	-
MFIA K	-	-
MFIA MTLV	-	-
MFIA POLY	-	-
MFIA HTNV (HANT)	-	-
MFIA MPUL	-	-
MFIA CARB	-	-
MFIA LDV	-	-
MFIA CPIL	-	-
MFIA ECUN	_	_
MFIA PHV	-	_
MFIA Anti-lg	Р	Р

Serology Profile: UHK MFIA Mouse Full Profile

### Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically >= 7000. An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Attn: Ms. Lily Lee

### **Notes**

Lab. No. 2012M301-2012M302, Location: Conventional Experimental Holding Area, Dexter H.C. Man Building (CA-DMB)

Number	Code	Species	Colony	Strain	Age	Sex
1	2012M301,	Mouse	n/d	Sentinel/	Adult	Female
	Rm.E217			ICR (CD-1)		
2	2012M302,	Mouse	n/d	Sentinel/	Adult	Female
	Rm.E217			ICR (CD-1)		





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

**Billing Information** 

Payment Method

Purchase Order

PO#: 635297

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

 Collection Date
 Arrival Date
 Approval Date

 02-Dec-2020
 11-Dec-2020
 11-Dec-2020

**Notes** 

Lab. No. 2012R501-2012R502, Location: Conventional Experimental Holding Area - Kadoorie Biological Sciences Building (CA-KA)

**Diagnostic Summary** 

Test	Colony	Tested	+	+/-	?	PDG
MFIA PCAR ("RRV")	n/d	2	2	0	0	0
UHK MFIA Rat Full Profile						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting <a href="http://www.criver.com/info/disease\_sheets">http://www.criver.com/info/disease\_sheets</a>.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

#### Notos

Lab. No. 2012R501-2012R502, Location: Conventional Experimental Holding Area - Kadoorie Biological Sciences Building (CA-KA)

# Serology

Results approved by Wunderlich, Janet on 11 Dec 2020

	<u>1</u> 2012R501,	<b>2</b> 2012R502,
	Rm.8S18	Rm.8S18
MFIA SEND	-	-
MFIA PVM	-	-
MFIA SDAV	_	-
MFIA KRV	-	-
MFIA H-1	-	-
MFIA RPV	_	-
MFIA RMV		-
MFIA NS-1	-	-
MFIA REO	-	-
MFIA RTV	-	-
MFIA MAV 1 & 2	-	-
MFIA HTNV (HANT)	-	-
MFIA MPUL		-
MFIA ECUN	-	-
MFIA CARB		-
MFIA PCAR ("RRV")	+	+
MFIA CPIL	_	-
MFIA LCMV	_	-
MFIA IDIR (ROTA-B)	_	-
MFIA Anti-Ig	Р	Р

Serology Profile: UHK MFIA Rat Full Profile

### Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically >= 7000. An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

#### Notes

Lab. No. 2012R501-2012R502, Location: Conventional Experimental Holding Area - Kadoorie Biological Sciences Building (CA-KA)

Number	Code	Species	Colony	Strain	Age	Sex
1	2012R501,	Rat	n/d	Sentinel/	Adult	Female
	Rm.8S18			CD(SD)IGS		
				(Sprague		
				Dawley)		
2	2012R502,	Rat	n/d	Sentinel/	Adult	Female
	Rm.8S18			CD(SD)IGS		
				(Sprague		
				Dawley)		



