

Test Results

Order #: **2020025269**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method
Purchase Order PO#: 630304

University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
19-May-2020	10-Jun-2020	11-Jun-2020

Notes

Lab. No. 2006M301-2006M302, Location: Conventional Experimental Holding Area – LAU Extension, Dexter H.C. Man Building(CA-Ext)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2020025269**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M301-2006M302, Location: Conventional Experimental Holding Area – LAU Extension, Dexter H.C. Man Building(CA-Ext)

Serology

Results approved by Gonzalez, Julio on 11 Jun 2020

	1 2006M301, Rm.EG24	2 2006M302, Rm.EG24
MFIA SEND	-	-
MFIA PVM	-	-
MFIA MHV	-	-
MFIA MVM	-	-
MFIA MPV-1	-	-
MFIA MPV-2	-	-
MFIA MPV-5	-	-
MFIA NS-1	-	-
MFIA MNV	-	-
MFIA GDVII	-	-
MFIA REO	-	-
MFIA EDIM (ROTA-A)	-	-
MFIA LCMV	-	-
MFIA ECTRO	-	-
MFIA MAV 1 & 2	-	-
MFIA MCMV	-	-
MFIA K	-	-
MFIA MTLV	-	-
MFIA POLY	-	-
MFIA HTNV (HANT)	-	-
MFIA MPUL	-	-
MFIA CARB	-	-
MFIA LDV	-	-
MFIA CPIL	-	-
MFIA ECUN	-	-
MFIA PHV	-	-
MFIA Anti-Ig	P	P

Serology Profile: UHK MFIA Mouse Full Profile

Test Results

Order #: **2020025269**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M301-2006M302, Location: Conventional Experimental Holding Area – LAU Extension, Dexter H.C. Man Building(CA-Ext)

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

Test Results

Order #: **2020025269**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M301-2006M302, Location: Conventional Experimental Holding Area – LAU Extension, Dexter H.C. Man Building(CA-Ext)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2006M301, Rm.EG24	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
2	2006M302, Rm.EG24	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female

Test Results

Order #: 2020025278

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method
Purchase Order PO#: 630304

University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
28-May-2020	10-Jun-2020	11-Jun-2020

Notes

Lab. No. 2006M201-2006M206, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
MFIA MHV UHK MFIA Mouse Selective Profile	n/d	6	6	0	0	0
MFIA MNV UHK MFIA Mouse Selective Profile	n/d	6	6	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2020025278

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M201-2006M206, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Serology

Results approved by Kudalis, Diane on 11 Jun 2020

	<u>1</u> 2006M201, Rm.AR6	<u>2</u> 2006M202, Rm.AR6	<u>3</u> 2006M203, Rm.AR7	<u>4</u> 2006M204, Rm.AR7	<u>5</u> 2006M205, Rm.AR8	<u>6</u> 2006M206, Rm.AR8
MFIA MHV	+	+	+	+	+	+
MFIA MVM	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-
MFIA MNV	+	+	+	+	+	+
MFIA GDVII	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P

Serology Profile: UHK MFIA Mouse Selective Profile

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

Test Results

Order #: **2020025278**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M201-2006M206, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2006M201, Rm.AR6	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
2	2006M202, Rm.AR6	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
3	2006M203, Rm.AR7	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
4	2006M204, Rm.AR7	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
5	2006M205, Rm.AR8	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
6	2006M206, Rm.AR8	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female

Test Results

Order #: **2020025275**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method
Purchase Order PO#: 630304

University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
28-May-2020	10-Jun-2020	11-Jun-2020

Notes

Lab. No. 2006R201-2006R202, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
MFIA PCAR ("RRV") UHK MFIA Rat Full Profile	n/d	2	2	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2020025275

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006R201-2006R202, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Serology

Results approved by Kudalis, Diane on 11 Jun 2020

	<u>1</u> 2006R201, Rm.AR3	<u>2</u> 2006R202, Rm.AR3
MFIA SEND	-	-
MFIA PVM	-	-
MFIA SDAV	-	-
MFIA KRV	-	-
MFIA H-1	-	-
MFIA RPV	-	-
MFIA RMV	-	-
MFIA NS-1	-	-
MFIA REO	-	-
MFIA RTV	-	-
MFIA MAV 1 & 2	-	-
MFIA HTNV (HANT)	-	-
MFIA MPUL	-	-
MFIA ECUN	-	-
MFIA CARB	-	-
MFIA PCAR ("RRV")	+	+
MFIA CPIL	-	-
MFIA LCMV	-	-
MFIA IDIR (ROTA-B)	-	-
MFIA Anti-Ig	P	P

Serology Profile: UHK MFIA Rat Full Profile

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

Test Results

Order #: 2020025275

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006R201-2006R202, Location: Conventional Experimental Holding Area – Laboratory Block, Li Ka Shing Faculty of Medicine (CA-FMB)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2006R201, Rm.AR3	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
2	2006R202, Rm.AR3	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female

Test Results

Order #: **2020025270**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method
Purchase Order PO#: 630304

University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
21-May-2020	10-Jun-2020	12-Jun-2020

Notes

Lab. No. 2006M501-2006M502, Location: Conventional Experimental Holding Area - Kadoorie Biological Sciences Building (CA-KA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
MFIA MHV UHK MFIA Mouse Full Profile	n/d	2	2	0	0	0
MFIA MNV UHK MFIA Mouse Full Profile	n/d	2	2	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2020025270

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M501-2006M502, Location: Conventional Experimental Holding Area - Kadoorie Biological Sciences Building (CA-KA)

Serology

Results approved by Wunderlich, Janet on 12 Jun 2020

	<u>1</u> 2006M501, Rm.8S21	<u>2</u> 2006M502, Rm.8S21
MFIA SEND	-	-
MFIA PVM	-	-
MFIA MHV	+	+
MFIA MVM	-	-
MFIA MPV-1	-	-
MFIA MPV-2	-	-
MFIA MPV-5	-	-
MFIA NS-1	-	-
MFIA MNV	+	+
MFIA GDVII	-	-
MFIA REO	-	-
MFIA EDIM (ROTA-A)	-	-
MFIA LCMV	-	-
MFIA ECTRO	-	-
MFIA MAV 1 & 2	-	-
MFIA MCMV	-	-
MFIA K	-	-
MFIA MTLV	-	-
MFIA POLY	-	-
MFIA HTNV (HANT)	-	-
MFIA MPUL	-	-
MFIA CARB	-	-
MFIA LDV	-	-
MFIA CPIL	-	-
MFIA ECUN	-	-
MFIA PHV	-	-
MFIA Anti-Ig	P	P

Serology Profile: UHK MFIA Mouse Full Profile

Test Results

Order #: 2020025270

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M501-2006M502, Location: Conventional Experimental Holding Area - Kadoorie Biological Sciences Building (CA-KA)

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

Test Results

Order #: **2020025270**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M501-2006M502, Location: Conventional Experimental Holding Area - Kadoorie Biological Sciences Building (CA-KA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2006M501, Rm.8S21	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
2	2006M502, Rm.8S21	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female