

Test Results

Order #: 2020025277

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method
Purchase Order PO#: 630304

University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
22-May-2020	10-Jun-2020	11-Jun-2020

Notes

Lab. No. 2006M101-2006M157, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
MFIA MNV	n/d	57	42	0	0	0
UHK MFIA Mouse Selective Profile						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2020025277**

LTM Customer ID: 38307
 The University of Hong Kong
 U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
 (CR RADS)
 261 Ballardvale Street
 Receiving Dock, Bldg 22
 Wilmington MA 01887 USA

10A Sassoon Road
 Pokfulam, HK 0 Hong Kong
 Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M101-2006M157, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Serology

Results approved by Kudalis, Diane on 11 Jun 2020

	<u>1</u> 2006M101, Rm.102	<u>2</u> 2006M102, Rm.102	<u>3</u> 2006M103, Rm.102	<u>4</u> 2006M104, Rm.103	<u>5</u> 2006M105, Rm.103	<u>6</u> 2006M106, Rm.103	<u>7</u> 2006M107, Rm.104	<u>8</u> 2006M108, Rm.104	<u>9</u> 2006M109, Rm.104	<u>10</u> 2006M110, Rm.105
<i>MFIA MHV</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MVM</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-1</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-2</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-5</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA NS-1</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MNV</i>	+	+	+	+	+	+	+	+	+	+
<i>MFIA GDVII</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA EDIM (ROTA-A)</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA Anti-Ig</i>	P	P	P	P	P	P	P	P	P	P

	<u>11</u> 2006M111, Rm.105	<u>12</u> 2006M112, Rm.105	<u>13</u> 2006M113, Rm.106	<u>14</u> 2006M114, Rm.106	<u>15</u> 2006M115, Rm.106	<u>16</u> 2006M116, Rm.107	<u>17</u> 2006M117, Rm.107	<u>18</u> 2006M118, Rm.107	<u>19</u> 2006M119, Rm.108	<u>20</u> 2006M120, Rm.108
<i>MFIA MHV</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MVM</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-1</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-2</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-5</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA NS-1</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MNV</i>	+	+	+	+	+	+	+	+	+	+
<i>MFIA GDVII</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA EDIM (ROTA-A)</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA Anti-Ig</i>	P	P	P	P	P	P	P	P	P	P

	<u>21</u> 2006M121, Rm.108	<u>22</u> 2006M122, Rm.109	<u>23</u> 2006M123, Rm.109	<u>24</u> 2006M124, Rm.109	<u>25</u> 2006M125, Rm.110	<u>26</u> 2006M126, Rm.110	<u>27</u> 2006M127, Rm.110	<u>28</u> 2006M128, Rm.111	<u>29</u> 2006M129, Rm.111	<u>30</u> 2006M130, Rm.111
<i>MFIA MHV</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MVM</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-1</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-2</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-5</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA NS-1</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MNV</i>	+	+	+	+	+	+	+	+	+	+
<i>MFIA GDVII</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA EDIM (ROTA-A)</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA Anti-Ig</i>	P	P	P	P	P	P	P	P	P	P

Test Results

Order #: **2020025277**

LTM Customer ID: 38307
 The University of Hong Kong
 U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
 (CR RADS)
 261 Ballardvale Street
 Receiving Dock, Bldg 22
 Wilmington MA 01887 USA

10A Sassoon Road
 Pokfulam, HK 0 Hong Kong
 Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M101-2006M157, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Serology

Results approved by Kudalis, Diane on 11 Jun 2020

	<u>31</u> 2006M131, Rm.112	<u>32</u> 2006M132, Rm.112	<u>33</u> 2006M133, Rm.112	<u>34</u> 2006M134, Rm.118 (NS)	<u>35</u> 2006M135, Rm.118 (NS)	<u>36</u> 2006M136, Rm.118 (NS)	<u>37</u> 2006M137, Rm.118 (NO)	<u>38</u> 2006M138, Rm.118 (NO)	<u>39</u> 2006M139, Rm.118 (NO)	<u>40</u> 2006M140, Rm.118 (Nu)
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	+	+	+	-	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P

	<u>41</u> 2006M141, Rm.118 (Nu)	<u>42</u> 2006M142, Rm.118 (Nu)	<u>43</u> 2006M143, Rm.124	<u>44</u> 2006M144, Rm.124	<u>45</u> 2006M145, Rm.124	<u>46</u> 2006M146, Rm.125	<u>47</u> 2006M147, Rm.125	<u>48</u> 2006M148, Rm.125	<u>49</u> 2006M149, Rm.127	<u>50</u> 2006M150, Rm.127
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	+	+	+	+	+	+	+	+
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P

	<u>51</u> 2006M151, Rm.127	<u>52</u> 2006M152, Rm.128	<u>53</u> 2006M153, Rm.128	<u>54</u> 2006M154, Rm.128	<u>55</u> 2006M155, Rm.128	<u>56</u> 2006M156, Rm.128	<u>57</u> 2006M157, Rm.128
MFIA MHV	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-
MFIA MNV	+	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P

Serology Profile: UHK MFIA Mouse Selective Profile

Test Results

Order #: 2020025277

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M101-2006M157, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

Test Results

Order #: 2020025277

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M101-2006M157, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2006M101, Rm.102	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
2	2006M102, Rm.102	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
3	2006M103, Rm.102	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
4	2006M104, Rm.103	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
5	2006M105, Rm.103	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
6	2006M106, Rm.103	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
7	2006M107, Rm.104	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
8	2006M108, Rm.104	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
9	2006M109, Rm.104	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
10	2006M110, Rm.105	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
11	2006M111, Rm.105	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
12	2006M112, Rm.105	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
13	2006M113, Rm.106	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
14	2006M114, Rm.106	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
15	2006M115, Rm.106	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
16	2006M116, Rm.107	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
17	2006M117, Rm.107	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
18	2006M118, Rm.107	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
19	2006M119, Rm.108	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
20	2006M120, Rm.108	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female

Test Results

Order #: 2020025277

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M101-2006M157, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
21	2006M121, Rm.108	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
22	2006M122, Rm.109	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
23	2006M123, Rm.109	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
24	2006M124, Rm.109	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
25	2006M125, Rm.110	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
26	2006M126, Rm.110	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
27	2006M127, Rm.110	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
28	2006M128, Rm.111	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
29	2006M129, Rm.111	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
30	2006M130, Rm.111	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
31	2006M131, Rm.112	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
32	2006M132, Rm.112	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
33	2006M133, Rm.112	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
34	2006M134, Rm.118 (NSG)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Male
35	2006M135, Rm.118 (NSG)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Male
36	2006M136, Rm.118 (NSG)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Male
37	2006M137, Rm.118 (NOD SCID)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
38	2006M138, Rm.118 (NOD SCID)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female

Test Results

Order #: 2020025277

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M101-2006M157, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
39	2006M139, Rm.118 (NOD SCID)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
40	2006M140, Rm.118 (Nude /+)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Male
41	2006M141, Rm.118 (Nude /+)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Male
42	2006M142, Rm.118 (Nude /+)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Male
43	2006M143, Rm.124	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
44	2006M144, Rm.124	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
45	2006M145, Rm.124	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
46	2006M146, Rm.125	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
47	2006M147, Rm.125	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
48	2006M148, Rm.125	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
49	2006M149, Rm.127	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
50	2006M150, Rm.127	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
51	2006M151, Rm.127	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
52	2006M152, Rm.128	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
53	2006M153, Rm.128	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
54	2006M154, Rm.128	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female

Test Results

Order #: 2020025277

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006M101-2006M157, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
55	2006M155, Rm.128	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
56	2006M156, Rm.128	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
57	2006M157, Rm.128	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female

Test Results

Order #: **2020025280**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method
Purchase Order PO#: 630304

University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
19-May-2020	10-Jun-2020	11-Jun-2020

Notes

Lab. No. 2006R101-2006R103, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2020025280**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006R101-2006R103, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Serology

Results approved by Estevez, Rebecca on 11 Jun 2020

	<u>1</u> 2006R101, Rm.101	<u>2</u> 2006R102, Rm.101	<u>3</u> 2006R103, Rm.101
MFIA PVM	-	-	-
MFIA SDAV	-	-	-
MFIA KRV	-	-	-
MFIA H-1	-	-	-
MFIA RPV	-	-	-
MFIA RMV	-	-	-
MFIA NS-1	-	-	-
MFIA RTV	-	-	-
MFIA MPUL	-	-	-
MFIA CPIL	-	-	-
MFIA Anti-Ig	P	P	P

Serology Profile: UHK MFIA Rat Selective Profile

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

Test Results

Order #: **2020025280**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006R101-2006R103, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2006R101, Rm.101	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
2	2006R102, Rm.101	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
3	2006R103, Rm.101	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female

Test Results

Order #: **2020025304**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method
Purchase Order PO#: 630304

University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
26-May-2020	10-Jun-2020	16-Jun-2020

Notes

Lab. No. 2006HM134, 2006HM137 & 2006HM152, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
H. ganmani Helicobacter Screen PCR	n/d	3	1	0	0	0
H. hepaticus Helicobacter Screen PCR	n/d	3	1	0	0	0
Helicobacter genus Helicobacter Screen PCR	n/d	3	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2020025304

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006HM134, 2006HM137 & 2006HM152, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Molecular Diagnostics: Infectious Disease PCR

Results approved by Magan, Kyria on 16 Jun 2020

Helicobacter Screen PCR

	<u>1</u>	<u>2</u>	<u>3</u>
	2006HM134, Rm.118 (NS)	2006HM137, Rm.118 (NO)	2006HM152, Rm.128
Helicobacter genus	-	-	+
H. bilis	-	-	-
H. ganmani	-	-	+
H. hepaticus	-	-	+
H. mastomyrinus	-	-	-
H. rodentium	-	-	-
H. typhlonius	-	-	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types can effect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2020025304**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006HM134, 2006HM137 & 2006HM152, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2006HM134, Rm.118 (NSG)	Mouse	n/d	Resident		
2	2006HM137, Rm.118 (NOD SCID)	Mouse	n/d	Resident		
3	2006HM152, Rm.128 (Multi user)	Mouse	n/d	Resident		

Test Results

Order #: **2020025305**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method
Purchase Order PO#: 630304

University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
26-May-2020	10-Jun-2020	16-Jun-2020

Notes

Lab. No. 2006SM134, 2006SM137 & 2006SM152, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2020025305

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006SM134, 2006SM137 & 2006SM152, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Molecular Diagnostics: Infectious Disease PCR

Results approved by Magan, Kyria on 16 Jun 2020

Assays

	<u>1</u>	<u>2</u>	<u>3</u>
	2006SM134, 2006SM137, 2006SM152, Rm.118 (NS Rm.118 (NO Rm.128		
<i>Streptobacillus moniliformis</i> PCR	-	-	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types can effect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: 2020025305

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006SM134, 2006SM137 & 2006SM152, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2006SM134, Rm.118 (NSG)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Male
2	2006SM137, Rm.118 (NOD SCID)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
3	2006SM152, Rm.128 (Multi user)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female

Test Results

Order #: **2020025307**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Billing Information

Payment Method
Purchase Order PO#: 630304

University of Hong Kong
Li Ka Shing Faculty
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
19-May-2020	10-Jun-2020	16-Jun-2020

Notes

Lab. No. 2006PM101-2006PM114, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2020025307

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006PM101-2006PM114, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Molecular Diagnostics: Infectious Disease PCR

Results approved by Magan, Kyria on 16 Jun 2020

Assays

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>10</u>
	2006PM101, Rm.118 (NS)	2006PM102, Rm.118 (NS)	2006PM103, Rm.118 (NO)	2006PM104, Rm.118 (NO)	2006PM105, Rm.118 (Nu)	2006PM106, Rm.118 (Nu)	2006PM107, Rm.106	2006PM108, Rm.106	2006PM109, Rm.107	2006PM110, Rm.107
Pneumocystis PCR	-	-	-	-	-	-	-	-	-	-

	<u>11</u>	<u>12</u>	<u>13</u>	<u>14</u>
	2006PM111, Rm.108	2006PM112, Rm.108	2006PM113, Rm.109	2006PM114, Rm.109
Pneumocystis PCR	-	-	-	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types can effect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: 2020025307

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Mr. Kwong Ming Lam

Notes

Lab. No. 2006PM101-2006PM114, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2006PM101, Rm.118 (NSG)	Mouse	n/d	NOD.Cg-Prk dcscidII2rgt m1Wjl/SzJ (NSG)	5-6 weeks	Female
2	2006PM102, Rm.118 (NSG)	Mouse	n/d	NOD.Cg-Prk dcscidII2rgt m1Wjl/SzJ (NSG)	5-6 weeks	Female
3	2006PM103, Rm.118 (NOD SCID)	Mouse	n/d	NOD.CB17- Prkdcscid/J (NOD SCID)	5-6 weeks	Female
4	2006PM104, Rm.118 (NOD SCID)	Mouse	n/d	NOD.CB17- Prkdcscid/J (NOD SCID)	5-6 weeks	Female
5	2006PM105, Rm.118 (Nude/+)	Mouse	n/d	BALB/cAnN -nu (Nude/+)	5-6 weeks	Male
6	2006PM106, Rm.118 (Nude/+)	Mouse	n/d	BALB/cAnN -nu (Nude/+)	5-6 weeks	Male
7	2006PM107, Rm.106	Mouse	n/d	Resident	5-6 weeks	Female
8	2006PM108, Rm.106	Mouse	n/d	Resident	5-6 weeks	Female
9	2006PM109, Rm.107	Mouse	n/d	Resident	5-6 weeks	Female
10	2006PM110, Rm.107	Mouse	n/d	Resident	5-6 weeks	Female
11	2006PM111, Rm.108	Mouse	n/d	Resident	5-6 weeks	Female
12	2006PM112, Rm.108	Mouse	n/d	Resident	5-6 weeks	Female
13	2006PM113, Rm.109	Mouse	n/d	Resident	5-6 weeks	Female
14	2006PM114, Rm.109	Mouse	n/d	Resident	5-6 weeks	Female