

# Test Results

Order #: 2020014415

LTM Customer ID: 38307  
The University of Hong Kong  
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services  
(CR RADS)  
261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

10A Sassoon Road  
Pokfulam, HK 0 Hong Kong  
Attn: Mr. Kwong Ming Lam

## Billing Information

Payment Method  
Purchase Order PO#: 627939

University of Hong Kong  
Li Ka Shing Faculty  
10A Sassoon Road  
Pokfulam, HK 0 Hong Kong

## Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
21-Feb-2020	11-Mar-2020	12-Mar-2020

## Notes

Lab. No. 2003M101-2003M154, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

## Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
MFIA MNV	n/d	54	41	0	0	0
UHK MFIA Mouse Selective Profile						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting [http://www.criver.com/info/disease\\_sheets](http://www.criver.com/info/disease_sheets).

# Test Results

Order #: **2020014415**

LTM Customer ID: 38307  
 The University of Hong Kong  
 U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services  
 (CR RADS)  
 261 Ballardvale Street  
 Receiving Dock, Bldg 22  
 Wilmington MA 01887 USA

10A Sassoon Road  
 Pokfulam, HK 0 Hong Kong  
 Attn: Mr. Kwong Ming Lam

## Notes

Lab. No. 2003M101-2003M154, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

## Serology

Results approved by Kudalis, Diane on 12 Mar 2020

	<u>1</u> 2003M101, Rm.102	<u>2</u> 2003M102, Rm.102	<u>3</u> 2003M103, Rm.102	<u>4</u> 2003M104, Rm.103	<u>5</u> 2003M105, Rm.103	<u>6</u> 2003M106, Rm.103	<u>7</u> 2003M107, Rm.104	<u>8</u> 2003M108, Rm.104	<u>9</u> 2003M109, Rm.104	<u>10</u> 2003M110, Rm.105
<i>MFIA MHV</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MVM</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-1</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-2</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-5</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA NS-1</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MNV</i>	+	+	+	+	+	+	+	+	+	+
<i>MFIA GDVII</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA EDIM (ROTA-A)</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA Anti-Ig</i>	P	P	P	P	P	P	P	P	P	P

  

	<u>11</u> 2003M111, Rm.105	<u>12</u> 2003M112, Rm.105	<u>13</u> 2003M113, Rm.106	<u>14</u> 2003M114, Rm.106	<u>15</u> 2003M115, Rm.106	<u>16</u> 2003M116, Rm.107	<u>17</u> 2003M117, Rm.107	<u>18</u> 2003M118, Rm.107	<u>19</u> 2003M119, Rm.108	<u>20</u> 2003M120, Rm.108
<i>MFIA MHV</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MVM</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-1</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-2</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-5</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA NS-1</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MNV</i>	+	+	+	+	+	+	+	+	+	+
<i>MFIA GDVII</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA EDIM (ROTA-A)</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA Anti-Ig</i>	P	P	P	P	P	P	P	P	P	P

  

	<u>21</u> 2003M121, Rm.108	<u>22</u> 2003M122, Rm.109	<u>23</u> 2003M123, Rm.109	<u>24</u> 2003M124, Rm.109	<u>25</u> 2003M125, Rm.110	<u>26</u> 2003M126, Rm.110	<u>27</u> 2003M127, Rm.110	<u>28</u> 2003M128, Rm.111	<u>29</u> 2003M129, Rm.111	<u>30</u> 2003M130, Rm.111
<i>MFIA MHV</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MVM</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-1</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-2</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MPV-5</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA NS-1</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA MNV</i>	+	+	+	+	+	+	+	+	+	+
<i>MFIA GDVII</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA EDIM (ROTA-A)</i>	-	-	-	-	-	-	-	-	-	-
<i>MFIA Anti-Ig</i>	P	P	P	P	P	P	P	P	P	P

# Test Results

Order #: **2020014415**

LTM Customer ID: 38307  
 The University of Hong Kong  
 U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services  
 (CR RADS)  
 261 Ballardvale Street  
 Receiving Dock, Bldg 22  
 Wilmington MA 01887 USA

10A Sassoon Road  
 Pokfulam, HK 0 Hong Kong  
 Attn: Mr. Kwong Ming Lam

## Notes

Lab. No. 2003M101-2003M154, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

## Serology

Results approved by Kudalis, Diane on 12 Mar 2020

	<u>31</u> 2003M131, Rm.112	<u>32</u> 2003M132, Rm.112	<u>33</u> 2003M133, Rm.112	<u>34</u> 2003M134, Rm.118 (NS)	<u>35</u> 2003M135, Rm.118 (NS)	<u>36</u> 2003M136, Rm.118 (NS)	<u>37</u> 2003M137, Rm.118 (NO)	<u>38</u> 2003M138, Rm.118 (NO)	<u>39</u> 2003M139, Rm.118 (NO)	<u>40</u> 2003M140, Rm.118 (Nu)
<b>MFIA MHV</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MVM</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MPV-1</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MPV-2</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MPV-5</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA NS-1</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MNV</b>	-	+	+	-	-	-	-	-	-	-
<b>MFIA GDVII</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA EDIM (ROTA-A)</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA Anti-Ig</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>

	<u>41</u> 2003M141, Rm.118 (Nu)	<u>42</u> 2003M142, Rm.118 (Nu)	<u>43</u> 2003M143, Rm.124	<u>44</u> 2003M144, Rm.124	<u>45</u> 2003M145, Rm.124	<u>46</u> 2003M146, Rm.125	<u>47</u> 2003M147, Rm.125	<u>48</u> 2003M148, Rm.125	<u>49</u> 2003M149, Rm.127	<u>50</u> 2003M150, Rm.127
<b>MFIA MHV</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MVM</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MPV-1</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MPV-2</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MPV-5</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA NS-1</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MNV</b>	-	-	+	+	+	+	+	+	+	+
<b>MFIA GDVII</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA EDIM (ROTA-A)</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA Anti-Ig</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>

	<u>51</u> 2003M151, Rm.127	<u>52</u> 2003M152, Rm.128	<u>53</u> 2003M153, Rm.128	<u>54</u> 2003M154, Rm.128
<b>MFIA MHV</b>	-	-	-	-
<b>MFIA MVM</b>	-	-	-	-
<b>MFIA MPV-1</b>	-	-	-	-
<b>MFIA MPV-2</b>	-	-	-	-
<b>MFIA MPV-5</b>	-	-	-	-
<b>MFIA NS-1</b>	-	-	-	-
<b>MFIA MNV</b>	+	-	-	-
<b>MFIA GDVII</b>	-	-	-	-
<b>MFIA EDIM (ROTA-A)</b>	-	-	-	-
<b>MFIA Anti-Ig</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>

Serology Profile: UHK MFIA Mouse Selective Profile

# Test Results

Order #: 2020014415

LTM Customer ID: 38307  
The University of Hong Kong  
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services  
(CR RADS)  
261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

10A Sassoon Road  
Pokfulam, HK 0 Hong Kong  
Attn: Mr. Kwong Ming Lam

---

## Notes

Lab. No. 2003M101-2003M154, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

---

## Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically  $\geq 7000$ . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

# Test Results

Order #: 2020014415

LTM Customer ID: 38307  
The University of Hong Kong  
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services  
(CR RADS)  
261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

10A Sassoon Road  
Pokfulam, HK 0 Hong Kong  
Attn: Mr. Kwong Ming Lam

## Notes

Lab. No. 2003M101-2003M154, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

## Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2003M101, Rm.102	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
2	2003M102, Rm.102	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
3	2003M103, Rm.102	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
4	2003M104, Rm.103	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
5	2003M105, Rm.103	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
6	2003M106, Rm.103	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
7	2003M107, Rm.104	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
8	2003M108, Rm.104	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
9	2003M109, Rm.104	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
10	2003M110, Rm.105	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
11	2003M111, Rm.105	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
12	2003M112, Rm.105	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
13	2003M113, Rm.106	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
14	2003M114, Rm.106	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
15	2003M115, Rm.106	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
16	2003M116, Rm.107	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
17	2003M117, Rm.107	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
18	2003M118, Rm.107	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
19	2003M119, Rm.108	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
20	2003M120, Rm.108	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female

# Test Results

Order #: 2020014415

LTM Customer ID: 38307  
The University of Hong Kong  
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services  
(CR RADS)  
261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

10A Sassoon Road  
Pokfulam, HK 0 Hong Kong  
Attn: Mr. Kwong Ming Lam

## Notes

Lab. No. 2003M101-2003M154, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

## Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
21	2003M121, Rm.108	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
22	2003M122, Rm.109	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
23	2003M123, Rm.109	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
24	2003M124, Rm.109	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
25	2003M125, Rm.110	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
26	2003M126, Rm.110	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
27	2003M127, Rm.110	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
28	2003M128, Rm.111	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
29	2003M129, Rm.111	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
30	2003M130, Rm.111	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
31	2003M131, Rm.112	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
32	2003M132, Rm.112	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
33	2003M133, Rm.112	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
34	2003M134, Rm.118 (NSG)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
35	2003M135, Rm.118 (NSG)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
36	2003M136, Rm.118 (NSG)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
37	2003M137, Rm.118 (NOD SCID)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
38	2003M138, Rm.118 (NOD SCID)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female

# Test Results

Order #: 2020014415

LTM Customer ID: 38307  
The University of Hong Kong  
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services  
(CR RADS)  
261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

10A Sassoon Road  
Pokfulam, HK 0 Hong Kong  
Attn: Mr. Kwong Ming Lam

## Notes

Lab. No. 2003M101-2003M154, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

## Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
39	2003M139, Rm.118 (NOD SCID)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
40	2003M140, Rm.118 (Nude /+)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
41	2003M141, Rm.118 (Nude /+)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
42	2003M142, Rm.118 (Nude /+)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
43	2003M143, Rm.124	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
44	2003M144, Rm.124	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
45	2003M145, Rm.124	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
46	2003M146, Rm.125	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
47	2003M147, Rm.125	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
48	2003M148, Rm.125	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
49	2003M149, Rm.127	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
50	2003M150, Rm.127	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
51	2003M151, Rm.127	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
52	2003M152, Rm.128	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
53	2003M153, Rm.128	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
54	2003M154, Rm.128	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female

# Test Results

Order #: 2020014418

LTM Customer ID: 38307  
The University of Hong Kong  
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services  
(CR RADS)  
261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

10A Sassoon Road  
Pokfulam, HK 0 Hong Kong  
Attn: Mr. Kwong Ming Lam

## Billing Information

Payment Method  
Purchase Order PO#: 627939

University of Hong Kong  
Li Ka Shing Faculty  
10A Sassoon Road  
Pokfulam, HK 0 Hong Kong

## Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
19-Feb-2020	11-Mar-2020	13-Mar-2020

## Notes

Lab. No. 2003R101-2003R103, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

## Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting [http://www.criver.com/info/disease\\_sheets](http://www.criver.com/info/disease_sheets).



# Test Results

Order #: 2020014418

LTM Customer ID: 38307  
The University of Hong Kong  
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services  
(CR RADS)  
261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

10A Sassoon Road  
Pokfulam, HK 0 Hong Kong  
Attn: Mr. Kwong Ming Lam

## Notes

Lab. No. 2003R101-2003R103, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

## Serology

Results approved by Wunderlich, Janet on 13 Mar 2020

	<u>1</u> 2003R101, Rm.101	<u>2</u> 2003R102, Rm.101	<u>3</u> 2003R103, Rm.101
<b>MFIA PVM</b>	-	-	-
<b>MFIA SDAV</b>	-	-	-
<b>MFIA KRV</b>	-	-	-
<b>MFIA H-1</b>	-	-	-
<b>MFIA RPV</b>	-	-	-
<b>MFIA RMV</b>	-	-	-
<b>MFIA NS-1</b>	-	-	-
<b>MFIA RTV</b>	-	-	-
<b>MFIA MPUL</b>	-	-	-
<b>MFIA CPIL</b>	-	-	-
<b>MFIA Anti-Ig</b>	<b>P</b>	<b>P</b>	<b>P</b>

Serology Profile: UHK MFIA Rat Selective Profile

## Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically  $\geq 7000$ . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

# Test Results

Order #: **2020014418**

LTM Customer ID: 38307  
The University of Hong Kong  
U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services  
(CR RADS)  
261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

10A Sassoon Road  
Pokfulam, HK 0 Hong Kong  
Attn: Mr. Kwong Ming Lam

## Notes

Lab. No. 2003R101-2003R103, Location: Minimal Disease Experimental Holding Area – LAU Building (MDA-LAU Bldg)

## Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2003R101, Rm.101	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
2	2003R102, Rm.101	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
3	2003R103, Rm.101	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female