#### Test Results 2020014408 Order #: LTM Customer ID: 38307 Charles River Research Animal Diagnostic Services (CR RADS) The University of Hong Kong 261 Ballardvale Street U Hong Kong, Lab Animal Unit RADS/GTS Receiving Dock, Bldg 22 Wilmington MA 01887 USA 10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam **Billing Information** Payment Method University of Hong Kong Li Ka Shing Faculty Purchase Order PO#: 627939 10A Sassoon Road Pokfulam, HK 0 Hong Kong Details Sample(s) from: NULL Collection Date Arrival Date Approval Date 17-Feb-2020 11-Mar-2020 13-Mar-2020 Notes Lab. No. 2003M1-2003M27, Location: Specific Pathogen Free Breeding Area- (SPFBA) **Diagnostic Summary** Test Colonv Tested +/-? PDG + All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting <a href="http://www.criver.com/info/disease\_sheets">http://www.criver.com/info/disease\_sheets</a>.





### LTM Customer ID: 38307 The University of Hong Kong U Hong Kong, Lab Animal Unit RADS/GTS

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

#### Notes

Lab. No. 2003M1-2003M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

## Serology

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Results approved by Wunderlich, Janet on 13 Mar 2020

	<u>1</u> 2003M1,	<u>2</u> 2003M2,	<u>3</u> 2003M3,	<u><b>4</b></u> 2003M4,	<u>5</u> 2003M5,	<u>6</u> 2003M6,	<u>7</u> 2003M7,	<u>8</u> 2003M8,	<u>9</u> 2003M9,	<u>10</u> 2003M10,
	Rm.206	Rm.206	Rm.206	Rm.207	Rm.207	Rm.207	Rm.208	Rm.208	Rm.208	Rm.209
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р

	<u>11</u> 2003M11,	<u>12</u> 2003M12,	<u>13</u> 2003M13,	<u><b>14</b></u> 2003M14,	<u>15</u> 2003M15,	<u>16</u> 2003M16,	<u>17</u> 2003M17,	<u>18</u> 2003M18,	<u><b>19</b></u> 2003M19,	<u>20</u> 2003M20,
	Rm.209	Rm.209	Rm.210	Rm.210	Rm.210	Rm.211	Rm.211	Rm.211	Rm.212	Rm.212
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р

	<u>21</u>	<u>22</u>	<u>23</u>	<u>24</u>	<u>25</u>	<u>26</u>	<u>27</u>
	2003M21,	2003M22,	2003M23,	2003M24,	2003M25,	2003M26,	2003M27,
	Rm.212	Rm.214	Rm.214	Rm.214	Rm.215	Rm.215	Rm.215
MFIA MHV	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р	Р

Serology Profile: UHK MFIA Mouse Selective Profile





# Order #: 2020014408

### LTM Customer ID: 38307 The University of Hong Kong U Hong Kong, Lab Animal Unit RADS/GTS

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

#### Notes

Lab. No. 2003M1-2003M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

#### Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically >= 7000. An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

## Order #: 2020014408



### LTM Customer ID: 38307 The University of Hong Kong U Hong Kong, Lab Animal Unit RADS/GTS

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

### Notes

Lab. No. 2003M1-2003M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

### Sample Information

Vumber	Code	Species	Colony	Strain Age	e Sex	
1	2003M1,	Mouse	n/d	Sentinel/ Adu	ult Female	
	Rm.206			BALB/cAnN		
				-nu (Nude/+)		
2	2003M2,	Mouse	n/d	Sentinel/ Adu	ult Female	
	Rm.206			BALB/cAnN		
				-nu (Nude/+)		
3	2003M3,	Mouse	n/d	Sentinel/ Adu	ult Female	
	Rm.206			BALB/cAnN		
				-nu (Nude/+)		
4	2003M4,	Mouse	n/d	Sentinel/ F1 Adu	ult Female	
	Rm.207			(C57BL/6N		
				x CBA/Ca)		
5	2003M5,	Mouse	n/d	Sentinel/ F1 Adu	ult Female	
	Rm.207			(C57BL/6N		
				x CBA/Ca)		
	2003M6,	Mouse	n/d	Sentinel/ F1 Adu	ult Female	
	Rm.207			(C57BL/6N		
				x CBA/Ca)		
7	2003M7,	Mouse	n/d	Sentinel/ Adu	ult Female	
	Rm.208			CBA/Ca		
8	2003M8,	Mouse	n/d	Sentinel/ Adu	ult Female	
	Rm.208			CBA/Ca		
9	2003M9,	Mouse	n/d	Sentinel/ Adu	ult Female	
	Rm.208			CBA/Ca		
10	2003M10,	Mouse	n/d	Sentinel/ Adu	ult Female	
	Rm.209			CBA/Ca		
11	2003M11,	Mouse	n/d	Sentinel/ Adu	ult Female	
	Rm.209			CBA/Ca		
12	2003M12,	Mouse	n/d	Sentinel/ Adu	ult Female	
	Rm.209			CBA/Ca		
13	2003M13,	Mouse	n/d	Sentinel/ Adu	ult Female	
	Rm.210			BALB/cAnN		
				-nu (Nude/+)		
14	2003M14,	Mouse	n/d	Sentinel/ Adu	ult Female	
	Rm.210			BALB/cAnN		
				-nu (Nude/+)		
15	2003M15,	Mouse	n/d	Sentinel/ Adu	ult Female	
	Rm.210			BALB/cAnN		
				-nu (Nude/+)		



#### 2020014408 Order #:



### LTM Customer ID: 38307 The University of Hong Kong U Hong Kong, Lab Animal Unit RADS/GTS

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

### Notes

Lab. No. 2003M1-2003M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

### Sample Information

Number	Code	Species	Colony	Strain Ag	ge Sex	
16	2003M16,	Mouse	n/d	Sentinel/ Ac	dult Female	
	Rm.211			BALB/cAnN		
				-nu (Nude/+)		
17	2003M17,	Mouse	n/d	Sentinel/ Ac	dult Female	
	Rm.211			BALB/cAnN		
				-nu (Nude/+)		
18	2003M18,	Mouse	n/d	Sentinel/ Ac	dult Female	
	Rm.211			BALB/cAnN		
				-nu (Nude/+)		
19	2003M19,	Mouse	n/d	Sentinel/ Ac	dult Female	
	Rm.212			BALB/cAnN		
				-nu (Nude/+)		
20	2003M20,	Mouse	n/d	Sentinel/ Ac	dult Female	
	Rm.212			BALB/cAnN		
				-nu (Nude/+)		
21	2003M21,	Mouse	n/d	Sentinel/ Ac	dult Female	
	Rm.212			BALB/cAnN		
				-nu (Nude/+)		
22	2003M22,	Mouse	n/d	Sentinel/ Ac	dult Female	
	Rm.214			BALB/c		
23	2003M23,	Mouse	n/d	Sentinel/ Ac	dult Female	
	Rm.214			BALB/c		
24	2003M24,	Mouse	n/d	Sentinel/ Ac	dult Female	
	Rm.214			BALB/c		
25	2003M25,	Mouse	n/d		dult Female	
	Rm.215			ICR (CD-1)		
26	2003M26,	Mouse	n/d		dult Female	
	Rm.215			ICR (CD-1)		
27	2003M27,	Mouse	n/d	Sentinel/ Ac	dult Female	
	Rm.215			ICR (CD-1)		





#### Test Results 2020014417 Order #: LTM Customer ID: 38307 Charles River Research Animal Diagnostic Services (CR RADS) The University of Hong Kong 261 Ballardvale Street U Hong Kong, Lab Animal Unit RADS/GTS Receiving Dock, Bldg 22 Wilmington MA 01887 USA 10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam **Billing Information** Payment Method University of Hong Kong Li Ka Shing Faculty Purchase Order PO#: 627939 10A Sassoon Road Pokfulam, HK 0 Hong Kong Details Sample(s) from: NULL Collection Date Arrival Date Approval Date 19-Feb-2020 11-Mar-2020 13-Mar-2020 Notes Lab. No. 2003R1-2003R9, Location: Specific Pathogen Free Breeding Area- (SPFBA) **Diagnostic Summary** Test Colonv Tested +/-? PDG + All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting <a href="http://www.criver.com/info/disease\_sheets">http://www.criver.com/info/disease\_sheets</a>.





### LTM Customer ID: 38307 The University of Hong Kong U Hong Kong, Lab Animal Unit RADS/GTS

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

### Notes

Lab. No. 2003R1-2003R9, Location: Specific Pathogen Free Breeding Area- (SPFBA)

## Serology

1 2 3 4 5 <u>6</u> 7 8 9 2003R1, 2003R2, 2003R3 2003R4, 2003R5, 2003R6, 2003R7, 2003R8, 2003R9, Rm.220 Rm.220 Rm.220 Rm.222 Rm.222 Rm.222 Rm.232 Rm.232 Rm.232 MFIA PVM -\_ MFIA SDAV ----MFIA KRV -\_ \_ \_ MFIA H-1 MFIA RPV ------\_ -MFIA RMV \_ -----\_ --MFIA NS-1 MFIA RTV -\_ -\_ --\_ -MFIA MPUL -MFIA CPIL \_ MFIA Anti-Ig Ρ Ρ Ρ Ρ Ρ Ρ Ρ Ρ Ρ

Serology Profile: UHK MFIA Rat Selective Profile

#### Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically >= 7000. An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).



## Order #: 2020014417

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Results approved by Wunderlich, Janet on 13 Mar 2020



### LTM Customer ID: 38307 The University of Hong Kong U Hong Kong, Lab Animal Unit RADS/GTS

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

### Notes

Lab. No. 2003R1-2003R9, Location: Specific Pathogen Free Breeding Area- (SPFBA)

### Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2003R1, Rm.220	Rat	n/d	Sentinel/ CD(SD)IGS	Adult	Female
				(Sprague Dawley)		
2	2003R2,	Rat	n/d	Sentinel/	Adult	Female
	Rm.220			CD(SD)IGS		
				(Sprague		
				Dawley)		
3	2003R3,	Rat	n/d	Sentinel/	Adult	Female
	Rm.220			CD(SD)IGS		
				(Sprague		
				Dawley)		
4	2003R4,	Rat	n/d	Sentinel/	Adult	Female
	Rm.222			CD(SD)IGS		
				(Sprague		
				Dawley)		
5	2003R5,	Rat	n/d	Sentinel/	Adult	Female
	Rm.222			CD(SD)IGS		
				(Sprague		
				Dawley)		
6	2003R6,	Rat	n/d	Sentinel/	Adult	Female
	Rm.222			CD(SD)IGS		
				(Sprague		
				Dawley)		
7	2003R7,	Rat	n/d	Sentinel/	Adult	Female
	Rm.232			CD(SD)IGS		
				(Sprague		
				Dawley)		
8	2003R8,	Rat	n/d	Sentinel/	Adult	Female
	Rm.232			CD(SD)IGS		
				(Sprague		
				Dawley)		
9	2003R9,	Rat	n/d	Sentinel/	Adult	Female
	Rm.232			CD(SD)IGS		
				(Sprague		
				Dawley)		







#### Test Results 2020014420 Order #: Charles River Research Animal Diagnostic Services LTM Customer ID: 38307 (CR RADS) The University of Hong Kong 261 Ballardvale Street U Hong Kong, Lab Animal Unit RADS/GTS Receiving Dock, Bldg 22 Wilmington MA 01887 USA 10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam **Billing Information** Payment Method University of Hong Kong Li Ka Shing Faculty Purchase Order PO#: 627939 10A Sassoon Road Pokfulam, HK 0 Hong Kong Details Sample(s) from: NULL Collection Date Arrival Date Approval Date 19-Feb-2020 11-Mar-2020 13-Mar-2020 Notes Lab. No. 2003Gp1-2003Gp3, Location: Specific Pathogen Free Breeding Area- (SPFBA) Diagnostic Summary Test Tested ? PDG Colonv +/-All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

Results approved by Castillo, Luz on 13 Mar 2020

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting <a href="http://www.criver.com/info/disease\_sheets">http://www.criver.com/info/disease\_sheets</a>.

### Serology

	<u>1</u> 2003Gp1, Rm.213	<b><u>2</u></b> 2003Gp2, Rm.213	<u><b>3</b></u> 2003Gp3, Rm.213
MFIA SEND	-	-	-
MFIA PIV-3	-	-	-
MFIA GAV	-	-	-
MFIA Anti-Ig	Р	Р	Р

Serology Profile: UHK MFIA Guinea Pig Selective Profile

#### Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically >= 7000. An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





### LTM Customer ID: 38307 The University of Hong Kong U Hong Kong, Lab Animal Unit RADS/GTS

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Order #:

2020014420

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

#### Notes

Lab. No. 2003Gp1-2003Gp3, Location: Specific Pathogen Free Breeding Area- (SPFBA)

### Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2003Gp1,	Guinea pig	n/d	Sentinel/	Adult	Female
	Rm.213			DH (Dunkin		
				Hartley)		
2	2003Gp2,	Guinea pig	n/d	Sentinel/	Adult	Female
	Rm.213			DH (Dunkin		
				Hartley)		
3	2003Gp3,	Guinea pig	n/d	Sentinel/	Adult	Female
	Rm.213			DH (Dunkin		
				Hartley)		





#### Test Results 2020014419 Order #: Charles River Research Animal Diagnostic Services LTM Customer ID: 38307 (CR RADS) The University of Hong Kong 261 Ballardvale Street U Hong Kong, Lab Animal Unit RADS/GTS Receiving Dock, Bldg 22 Wilmington MA 01887 USA 10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam **Billing Information** Payment Method University of Hong Kong Li Ka Shing Faculty Purchase Order PO#: 627939 10A Sassoon Road Pokfulam, HK 0 Hong Kong Details Sample(s) from: NULL Collection Date Arrival Date Approval Date 20-Feb-2020 11-Mar-2020 13-Mar-2020 Notes Lab. No. 2003Rb1-2003Rb9, Location: Specific Pathogen Free Breeding Area- (SPFBA) Diagnostic Summary Test Tested ? PDG Colonv +/-All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting <a href="http://www.criver.com/info/disease\_sheets">http://www.criver.com/info/disease\_sheets</a>.

### Serology

Results approved by Castillo, Luz on 13 Mar 2020

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>
	2003Rb1,	2003Rb2,	2003Rb3,	2003Rb4,	2003Rb5,	2003Rb6,	2003Rb7,	2003Rb8,	2003Rb9,
	Rm.201	Rm.201	Rm.201	Rm.233	Rm.233	Rm.233	Rm.233	Rm.233	Rm.233
MFIA ROTA	-	-	-	-	-	-	-	-	-
MFIA ECUN	-	-	-	-	-	-	-	-	-
MFIA CPIL	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р	Р	Р	Р
ELISA RHDV	-	-	-	-	-	-	-	-	-

Serology Profile: UHK MFIA Rabbit Selective Profile

#### Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically >= 7000. An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





### LTM Customer ID: 38307 The University of Hong Kong U Hong Kong, Lab Animal Unit RADS/GTS

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Mr. Kwong Ming Lam

### Notes

Lab. No. 2003Rb1-2003Rb9, Location: Specific Pathogen Free Breeding Area- (SPFBA)

### Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2003Rb1,	Rabbit	n/d	NZW (New		Female
	Rm.201			Zealand		
				White)		
2	2003Rb2,	Rabbit	n/d	NZW (New		Male
	Rm.201			Zealand		
				White)		
3	2003Rb3,	Rabbit	n/d	NZW (New		Male
	Rm.201			Zealand		
				White)		
4	2003Rb4,	Rabbit	n/d	NZW (New		Female
	Rm.233			Zealand		
				White)		
5	2003Rb5,	Rabbit	n/d	NZW (New		Male
	Rm.233			Zealand		
				White)		
6	2003Rb6,	Rabbit	n/d	NZW (New		Female
	Rm.233			Zealand		
				White)		
7	2003Rb7,	Rabbit	n/d	NZW (New		Female
	Rm.233			Zealand		
				White)		
8	2003Rb8,	Rabbit	n/d	NZW (New		Female
	Rm.233			Zealand		
				White)		
9	2003Rb9,	Rabbit	n/d	NZW (New		Female
	Rm.233			Zealand		
				White)		



