LTM Customer ID: 38307 The University of Hong Kong

U Hong Kong Ctr for Comparative Med

Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

Billing Information

Payment Method

Purchase Order

PO#: 637821

University of Hong Kong

10A Sassoon Road

Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection DateArrival DateApproval Date26-Feb-202118-Mar-202122-Mar-2021

Notes

Lab. No. 2103M1-2103M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test Colony Tested + +/- ? PDG

All results NEGATIVE

Alive

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease sheets.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

Notes

Lab. No. 2103M1-2103M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Serology

Results approved by Estevez, Rebecca on 22 Mar 2021

	1	<u>2</u>	2	<u>4</u>	<u>5</u>	6	7	<u>8</u>	9	<u>10</u>
	2103M1,	2103M2,	<u>3</u> 2103M3,	<u>≠</u> 2103M4,	<u>3</u> 2103M5,	<u>6</u> 2103M6,	2103M7,	2103M8,	2103M9,	2103M10,
	Rm.206	Rm.206	Rm.206	Rm.207	Rm.207	Rm.207	Rm.208	Rm.208	Rm.208	Rm.209
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р

	<u>11</u>	<u>12</u>	<u>13</u>	<u>14</u>	<u>15</u>	<u>16</u>	<u>17</u>	<u>18</u>	<u>19</u>	<u>20</u>
	2103M11,	2103M12,	2103M13,	2103M14,	2103M15,	2103M16,	2103M17,	2103M18,	2103M19,	2103M20
	Rm.209	Rm.209	Rm.210	Rm.210	Rm.210	Rm.211	Rm.211	Rm.211	Rm.212	Rm.212
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р

	<u>21</u>	<u>22</u>	<u>23</u>	<u>24</u>	<u>25</u>	<u>26</u>	<u>27</u>
	2103M21,	2103M22,	2103M23,	2103M24,	2103M25,	2103M26	2103M27,
	Rm.212	Rm.214	Rm.214	Rm.214	Rm.215	Rm.215	Rm.215
MFIA MHV	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	_	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р	Р

Serology Profile: UHK MFIA Mouse Selective Profile

Remarks





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

Notes

Lab. No. 2103M1-2103M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

MFIA/IFA/ELISA/WIB Results: -= Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically >= 7000. An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

Notes

Lab. No. 2103M1-2103M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Number	Code	Species	Colony	Strain	Age	Sex
1	2103M1, Rm.206	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
2	2103M2, Rm.206	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
3	2103M3, Rm.206	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
4	2103M4, Rm.207	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
5	2103M5, Rm.207	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
6	2103M6, Rm.207	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
7	2103M7, Rm.208	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
8	2103M8, Rm.208	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
9	2103M9, Rm.208	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
10	2103M10, Rm.209	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
11	2103M11, Rm.209	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
12	2103M12, Rm.209	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
13	2103M13, Rm.210	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
14	2103M14, Rm.210	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
15	2103M15, Rm.210	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
16	2103M16, Rm.211	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Attn: Ms. Lily Lee

Notes

Lab. No. 2103M1-2103M27, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Number	Code	Species	Colony	Strain	Age	Sex	
17	2103M17,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.211			BALB/cAnN			
				-nu (Nude/+)			
18	2103M18,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.211			BALB/cAnN			
				-nu (Nude/+)			
19	2103M19,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.212			BALB/cAnN			
				-nu (Nude/+)			
20	2103M20,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.212			BALB/cAnN			
				-nu (Nude/+)			
21	2103M21,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.212			BALB/cAnN			
				-nu (Nude/+)			
22	2103M22,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.214			BALB/c			
23	2103M23,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.214			BALB/c			
24	2103M24,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.214			BALB/c			
25	2103M25,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.215			ICR (CD-1)			
26	2103M26	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.215			ICR (CD-1)			
27	2103M27,	Mouse	n/d	Sentinel/	Adult	Female	
	Rm.215			ICR (CD-1)			





LTM Customer ID: 38307
The University of Hong Kong
Ll Hong Kong Ctr for Comparation

U Hong Kong Ctr for Comparative Med

Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Billing Information

Payment MethodUniversity of Hong KongPurchase OrderPO#: 63782110A Sassoon RoadPokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection DateArrival DateApproval Date23-Feb-202118-Mar-202122-Mar-2021

Notes

Lab. No. 2103R1-2103R9, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test Colony Tested + +/- ? PDG

All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2103R1-2103R9, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Serology

Results approved by Wunderlich, Janet on 22 Mar 2021

	<u>1</u> 2103R1,	2 2103R2,	<u>3</u> 2103R3,	<u>4</u> 2103R4,	<u>5</u> 2103R5,	<u>6</u> 2103R6,	7 2103R7,	<u>8</u> 2103R8,	9 2103R9,
	Rm.220	Rm.220	Rm.220	Rm.222	Rm.222	Rm.222	Rm.232	Rm.232	Rm.232
MFIA PVM	-	-	-	-	-	-	-	-	-
MFIA SDAV	-	-	-	-	-	-	-	-	-
MFIA KRV	-	-	-	-	-	-	-	-	-
MFIA H-1	-	-	-	-	-	-	-	-	-
MFIA RPV	-	-	-	-	-	-	-	-	-
MFIA RMV	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-
MFIA RTV	-	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-	-
MFIA CPIL	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р	Р	Р	Р

Serology Profile: UHK MFIA Rat Selective Profile

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically >= 7000. An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2103R1-2103R9, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Number	Code	Species	Colony	Strain	Age	Sex
1	2103R1,	Rat	n/d	Sentinel/	Adult	Female
	Rm.220			CD(SD)IGS		
				(Sprague		
				Dawley)		
2	2103R2,	Rat	n/d	Sentinel/	Adult	Female
	Rm.220			CD(SD)IGS		
				(Sprague		
				Dawley)		
3	2103R3,	Rat	n/d	Sentinel/	Adult	Female
	Rm.220			CD(SD)IGS		
				(Sprague		
				Dawley)		
4	2103R4,	Rat	n/d	Sentinel/	Adult	Female
	Rm.222			CD(SD)IGS		
				(Sprague		
				Dawley)		
5	2103R5,	Rat	n/d	Sentinel/	Adult	Female
	Rm.222			CD(SD)IGS		
				(Sprague		
				Dawley)		
6	2103R6,	Rat	n/d	Sentinel/	Adult	Female
	Rm.222			CD(SD)IGS		
				(Sprague		
				Dawley)		
7	2103R7,	Rat	n/d	Sentinel/	Adult	Female
	Rm.232			CD(SD)IGS		
				(Sprague		
				Dawley)		
8	2103R8,	Rat	n/d	Sentinel/	Adult	Female
	Rm.232			CD(SD)IGS		
				(Sprague		
				Dawley)		
9	2103R9,	Rat	n/d	Sentinel/	Adult	Female
	Rm.232			CD(SD)IGS		
				(Sprague		
				Dawley)		





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

(CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Charles River Research Animal Diagnostic Services

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

Billing Information

Payment Method

Purchase Order

PO#: 637821

University of Hong Kong

10A Sassoon Road

Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date Arrival Date Approval Date 23-Feb-2021 18-Mar-2021 23-Mar-2021

Notes

Lab. No. 2103Gp1-2103Gp3, Location: Specific Pathogen Free Breeding Area (SPFBA)

Diagnostic Summary

Test Colony Tested + +/- ? PDG

All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Serology

Results approved by Estevez, Rebecca on 23 Mar 2021

	1	2	3
	2103Gp1,	= 2103Gp2,	2103Gp3,
	Rm.201	Rm.201	Rm.201
MFIA SEND	-	-	-
MFIA PIV-3	-	-	-
MFIA GAV	-	-	-
MFIA Anti-Ig	Р	Р	Р

Serology Profile: UHK MFIA Guinea Pig Selective Profile

Remarks

MFIA/IFA/ELISA/WIB Results: -= Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically >= 7000. An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

Notes

Lab. No. 2103Gp1-2103Gp3, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Number	Code	Species	Colony	Strain	Age	Sex
1	2103Gp1,	Guinea pig	n/d	Sentinel/	Adult	Female
	Rm.201			DH (Dunkin		
				Hartley)		
2	2103Gp2,	Guinea pig	n/d	Sentinel/	Adult	Female
	Rm.201			DH (Dunkin		
				Hartley)		
3	2103Gp3,	Guinea pig	n/d	Sentinel/	Adult	Female
	Rm.201			DH (Dunkin		
				Hartley)		





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong Attn: Ms. Lily Lee

Billing Information

Payment Method

Purchase Order

PO#: 637821

University of Hong Kong

10A Sassoon Road

Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date Arrival Date Approval Date 25-Feb-2021 18-Mar-2021 24-Mar-2021

Notes

Lab. No. 2103Rb1-2103Rb6, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test Colony Tested + +/- ? PDG

All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Serology

Results approved by Estevez, Rebecca on 24 Mar 2021

	1 2103Rb1,	2 2103Rb2,	3 2103Rb3,	4 2103Rb4,	<u>5</u> 2103Rb5,	<u>6</u> 2103Rb6,
	Rm.233	Rm.233	Rm.233	Rm.233	Rm.233	Rm.233
MFIA ROTA	-	-	-	-	-	-
MFIA ECUN	-	-	-	-	-	-
MFIA CPIL	-	-	-	-	-	-
MFIA Anti-Ig	Р	Р	Р	Р	Р	Р
ELISA RHDV	-	-	-	-	-	-

Serology Profile: UHK MFIA Rabbit Selective Profile

Remarks

MFIA/IFA/ELISA/WIB Results: -= Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically >= 7000. An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Attn: Ms. Lily Lee

Notes

Lab. No. 2103Rb1-2103Rb6, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Number	Code	Species	Colony	Strain	Age	Sex
1	2103Rb1,	Rabbit	n/d	NZW (New	5B1 Breeder	Female
	Rm.233			Zealand		
				White)		
2	2103Rb2,	Rabbit	n/d	NZW (New	5F1 Breeder	Female
	Rm.233			Zealand		
				White)		
3	2103Rb3,	Rabbit	n/d	NZW (New	S1	Male
	Rm.233			Zealand	Lactating	
				White)		
4	2103Rb4,	Rabbit	n/d	NZW (New	SP3	Female
	Rm.233			Zealand	Lactating	
				White)		
5	2103Rb5,	Rabbit	n/d	NZW (New	1M4 Stock	Female
	Rm.233			Zealand		
				White)		
6	2103Rb6,	Rabbit	n/d	NZW (New	2H6 Stock	Female
	Rm.233			Zealand		
				White)		





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

(CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

Charles River Research Animal Diagnostic Services

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order

PO#: 637821

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection DateArrival DateApproval Date26-Feb-202118-Mar-202125-Mar-2021

Notes

Lab. No. 2103SHM4, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
H. hepaticus Helicobacter Screen PCR	n/d	1	1	0	0	0
Helicobacter genus Helicobacter Screen PCR	n/d	1	1	0	0	0

^{+ =} Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2103SHM4, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious Disease PCR

Results approved by Muise, Delia on 25 Mar 2021

Helicobacter Screen PCR

	1
	2103SHM4,
	Rm.207
Helicobacter genus	+
H. bilis	-
H. ganmani	_
H. hepaticus	+
H. mastomyrinus	-
H. rodentium	-
H. typhlonius	-

Assays

	1 2103SHM4, Rm.207
Streptobacillus moniliformis PCR	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types can effect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2103SHM4, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Number	Code	Species	Colony	Strain	Age	Sex
1	2103SHM4,	Mouse	n/d	Sentinel/	Adult	Female
	Rm.207			CBA/Ca		





LTM Customer ID: 38307 The University of Hong Kong

U Hong Kong Ctr for Comparative Med

Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order

PO#: 637821

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection DateArrival DateApproval Date26-Feb-202118-Mar-202124-Mar-2021

Notes

Lab. No. 2103PM1-2103PM2, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test Colony Tested + +/- ? PDG

All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2103PM1-2103PM2, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious Disease PCR

Results approved by Muise, Delia on 24 Mar 2021

Assays

	1 2103PM1,	<u>2</u> 2103PM2,
	Rm.207	Rm.207
Pneumocystis PCR	-	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR. Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types can effect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2103PM1-2103PM2, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Number	Code	Species	Colony	Strain	Age	Sex
1	2103PM1,	Mouse	n/d	CBA/Ca	5-6 weeks	Female
	Rm.207					
2	2103PM2,	Mouse	n/d	C57BL/6N	5-6 weeks	Female
	Rm.207					





LTM Customer ID: 38307

The University of Hong Kong

U Hong Kong Ctr for Comparative Med

Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road

Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method
Purchase Order

PO#: Covering Invoice for

#2021013358

University of Hong Kong 10A Sassoon Road Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date Arrival Date Approval Date 26-Feb-2021 18-Mar-2021 27-Mar-2021

Notes

Lab. No. 2103M30 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
Astrovirus-1 PCR	n/d	1	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2103M30 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious Disease PCR

Results approved by Muise, Delia on 27 Mar 2021

UHK Mouse Quarantine PRIA

	1
	2103M30,
	Rm.204
HANT (Hantavirus Hantaan) PCR	-
Hanta Viruses New World PCR	-
LCMV PCR	-
LDV PCR	-
MAV 1 & 2 PCR	-
MCMV PCR	-
MHV PCR	-
MNV PCR	-
Mousepox (Ectromelia) PCR	-
Mouse Parvovirus (MPV/MVM) P	-
MRV (EDIM) PCR	-
MTLV PCR	-
POLY PCR	-
PVM PCR	-
REO PCR	-
SEND PCR	-
TMEV/GDVII PCR	-
Beta Strep Grp A PCR	-
Beta Strep Grp B PCR	-
Beta Strep Grp C PCR	-
Beta Strep Grp G PCR	-
B. bronchiseptica PCR	-
B. pseudohinzii PCR	-
Campylobacter Genus PCR	-
CAR Bacillus (F. rodentium) PCR	-
C. rodentium PCR	-
C. piliforme PCR	-
C. bovis PCR	-
C. kutscheri PCR	-
Helicobacter genus	-
H. bilis	-
H. hepaticus	-
K. oxytoca PCR	-
K. pneumoniae PCR	-
K Virus PCR	-
M. pulmonis PCR	-





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2103M30 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious Disease PCR

Results approved by Muise, Delia on 27 Mar 2021

	<u>1</u> 2103M30,
	Rm.204
R. heylii PCR	-
R. pneumotropicus PCR	_
P. multocida PCR	_
P. mirabilis PCR	-
Salmonella Genus PCR	-
Ps. aeruginosa PCR	-
S. aureus PCR	-
S. moniliformis PCR	-
S. pneumoniae PCR	-
Toxoplasma gondii PCR	-
Y. enterocolitica PCR	-
Y. pseudotuberculosis PCR	-
Cryptosporidium PCR	-
Demodex PCR	-
Giardia PCR	-
E. cuniculi PCR	-
Entamoeba PCR	-
Mite PCR	-
Pinworm PCR	-
Pneumocystis PCR	-
Spironucleus muris PCR	-
Tritrichomonas genus PCR	_

Assays

	1 2103M30,
	Rm.204
Astrovirus-1 PCR	+
Astrovirus-2 PCR	-

Remarks





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2103M30 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR. Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types can effect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.





LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services (CR RADS) 261 Ballardvale Street Receiving Dock, Bldg 22 Wilmington MA 01887 USA

10A Sassoon Road Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2103M30 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Number	Code	Species	Colony	Strain	Age	Sex
1	2103M30,	Mouse	n/d	New ICR		
	Rm.204					



