

Test Results

Order #: **2022030360**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Ms. Lily Lee

Billing Information

Payment Method
Purchase Order PO#: 650988

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
02-Jun-2022	21-Jun-2022	22-Jun-2022

Notes

Lab. No. 2206M101-2206M147, 2206M149-2206M154, Location: Minimal Disease Experimental Holding Area (MDA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
MFIA EDIM (ROTA-A) UHK MFIA Mouse Selective Profile	n/d	53	0	0	1	0
MFIA GDVII UHK MFIA Mouse Selective Profile	n/d	53	0	0	1	0
MFIA MHV UHK MFIA Mouse Selective Profile	n/d	53	0	0	1	0
MFIA MNV UHK MFIA Mouse Selective Profile	n/d	53	42	0	1	0
MFIA MPV-1 UHK MFIA Mouse Selective Profile	n/d	53	0	0	1	0
MFIA MPV-2 UHK MFIA Mouse Selective Profile	n/d	53	0	0	1	0
MFIA MPV-5 UHK MFIA Mouse Selective Profile	n/d	53	0	0	1	0
MFIA MVM UHK MFIA Mouse Selective Profile	n/d	53	0	0	1	0
MFIA NS-1 UHK MFIA Mouse Selective Profile	n/d	53	0	0	1	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting

http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2022030360**

LTM Customer ID: 38307
 The University of Hong Kong
 U Hong Kong Ctr for Comparative Med
 Research

Charles River Research Animal Diagnostic Services
 (CR RADS)
 261 Ballardvale Street
 Receiving Dock, Bldg 22
 Wilmington MA 01887 USA

10A Sassoon Road
 Pokfulam, HK 0 Hong Kong
 Attn: Ms. Lily Lee

Notes

Lab. No. 2206M101-2206M147, 2206M149-2206M154, Location: Minimal Disease Experimental Holding Area (MDA)

Serology

Results approved by Wunderlich, Janet on 22 Jun 2022

	<u>1</u> 2206M101, Rm.102	<u>2</u> 2206M102, Rm.102	<u>3</u> 2206M103, Rm.102	<u>4</u> 2206M104, Rm.103	<u>5</u> 2206M105, Rm.103	<u>6</u> 2206M106, Rm.103	<u>7</u> 2206M107, Rm.104	<u>8</u> 2206M108, Rm.104	<u>9</u> 2206M109, Rm.104	<u>10</u> 2206M110, Rm.105
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	IN	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	+	+	+	+	+	+	+	+	+	+
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P
IFA MVM	-									

	<u>11</u> 2206M111, Rm.105	<u>12</u> 2206M112, Rm.105	<u>13</u> 2206M113, Rm.106	<u>14</u> 2206M114, Rm.106	<u>15</u> 2206M115, Rm.106	<u>16</u> 2206M116, Rm.107	<u>17</u> 2206M117, Rm.107	<u>18</u> 2206M118, Rm.107	<u>19</u> 2206M119, Rm.108	<u>20</u> 2206M120, Rm.108
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	+	+	+	+	+	+	+	+	+	+
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P

	<u>21</u> 2206M121, Rm.108	<u>22</u> 2206M122, Rm.109	<u>23</u> 2206M123, Rm.109	<u>24</u> 2206M124, Rm.109	<u>25</u> 2206M125, Rm.110	<u>26</u> 2206M126, Rm.110	<u>27</u> 2206M127, Rm.110	<u>28</u> 2206M128, Rm.111	<u>29</u> 2206M129, Rm.111	<u>30</u> 2206M130, Rm.111
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	+	+	+	+	+	+	+	+	+	+
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P

Test Results

Order #: **2022030360**

LTM Customer ID: 38307
 The University of Hong Kong
 U Hong Kong Ctr for Comparative Med
 Research

Charles River Research Animal Diagnostic Services
 (CR RADS)
 261 Ballardvale Street
 Receiving Dock, Bldg 22
 Wilmington MA 01887 USA

10A Sassoon Road
 Pokfulam, HK 0 Hong Kong
 Attn: Ms. Lily Lee

Notes

Lab. No. 2206M101-2206M147, 2206M149-2206M154, Location: Minimal Disease Experimental Holding Area (MDA)

Serology

Results approved by Wunderlich, Janet on 22 Jun 2022

	<u>31</u> 2206M131, Rm.112	<u>32</u> 2206M132, Rm.112	<u>33</u> 2206M133, Rm.112	<u>34</u> 2206M134, Rm.118 (MN	<u>35</u> 2206M135, Rm.118 (MN	<u>36</u> 2206M136, Rm.118 (MN	<u>37</u> 2206M137, Rm.124	<u>38</u> 2206M138, Rm.124	<u>39</u> 2206M139, Rm.124	<u>40</u> 2206M140, Rm.125
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	+	+	+	-	-	-	+	+	+	+
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P

	<u>41</u> 2206M141, Rm.125	<u>42</u> 2206M142, Rm.125	<u>43</u> 2206M143, Rm.127	<u>44</u> 2206M144, Rm.127	<u>45</u> 2206M145, Rm.127	<u>46</u> 2206M146, Rm.G10 (NS	<u>47</u> 2206M147, Rm.G10 (NS	<u>48</u> 2206M149, Rm.G10 (MN	<u>49</u> 2206M150, Rm.G10 (MN	<u>50</u> 2206M151, Rm.G10 (MN
MFIA MHV	-	-	-	-	-	TC	-	-	-	-
MFIA MVM	-	-	-	-	-	TC	-	-	-	-
MFIA MPV-1	-	-	-	-	-	TC	-	-	-	-
MFIA MPV-2	-	-	-	-	-	TC	-	-	-	-
MFIA MPV-5	-	-	-	-	-	TC	-	-	-	-
MFIA NS-1	-	-	-	-	-	TC	-	-	-	-
MFIA MNV	+	+	+	+	+	TC	-	-	-	-
MFIA GDVII	-	-	-	-	-	TC	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	TC	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P

	<u>51</u> 2206M152, Rm.G10 (NO	<u>52</u> 2206M153, Rm.G10 (NO	<u>53</u> 2206M154, Rm.G10 (NO
MFIA MHV	-	-	-
MFIA MVM	-	-	-
MFIA MPV-1	-	-	-
MFIA MPV-2	-	-	-
MFIA MPV-5	-	-	-
MFIA NS-1	-	-	-
MFIA MNV	-	-	-
MFIA GDVII	-	-	-
MFIA EDIM (ROTA-A)	-	-	-
MFIA Anti-Ig	P	P	P

Serology Profile: UHK MFIA Mouse Selective Profile

Remarks

Test Results

Order #: 2022030360

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Ms. Lily Lee

Notes

Lab. No. 2206M101-2206M147, 2206M149-2206M154, Location: Minimal Disease Experimental Holding Area (MDA)

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

IMPORTANT NOTE:

Sample #46 gave strong non-specific (i.e., TC) reactions in most (or all) MFIA's. When samples react non-specifically in multiple MFIA's, it has been our experience that they often give non-specific reactions in alternative assays (IFA). Therefore, to give you more accurate and meaningful results, we would prefer that you submit a new sample (or new samples) for testing. When resubmitting samples for retesting, please include the order number from the sample being retested.

Test Results

Order #: **2022030360**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Ms. Lily Lee

Notes

Lab. No. 2206M101-2206M147, 2206M149-2206M154, Location: Minimal Disease Experimental Holding Area (MDA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2206M101, Rm.102	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
2	2206M102, Rm.102	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
3	2206M103, Rm.102	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
4	2206M104, Rm.103	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
5	2206M105, Rm.103	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
6	2206M106, Rm.103	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
7	2206M107, Rm.104	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
8	2206M108, Rm.104	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
9	2206M109, Rm.104	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
10	2206M110, Rm.105	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
11	2206M111, Rm.105	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
12	2206M112, Rm.105	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
13	2206M113, Rm.106	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
14	2206M114, Rm.106	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
15	2206M115, Rm.106	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
16	2206M116, Rm.107	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
17	2206M117, Rm.107	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
18	2206M118, Rm.107	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
19	2206M119, Rm.108	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
20	2206M120, Rm.108	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female

Test Results

Order #: 2022030360

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Ms. Lily Lee

Notes

Lab. No. 2206M101-2206M147, 2206M149-2206M154, Location: Minimal Disease Experimental Holding Area (MDA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
21	2206M121, Rm.108	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
22	2206M122, Rm.109	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
23	2206M123, Rm.109	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
24	2206M124, Rm.109	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
25	2206M125, Rm.110	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
26	2206M126, Rm.110	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
27	2206M127, Rm.110	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
28	2206M128, Rm.111	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
29	2206M129, Rm.111	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
30	2206M130, Rm.111	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
31	2206M131, Rm.112	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
32	2206M132, Rm.112	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
33	2206M133, Rm.112	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
34	2206M134, Rm.118 (MNV unknown colonies)	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
35	2206M135, Rm.118 (MNV unknown colonies)	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
36	2206M136, Rm.118 (MNV unknown colonies)	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
37	2206M137, Rm.124	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female

Test Results

Order #: 2022030360

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Ms. Lily Lee

Notes

Lab. No. 2206M101-2206M147, 2206M149-2206M154, Location: Minimal Disease Experimental Holding Area (MDA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
38	2206M138, Rm.124	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
39	2206M139, Rm.124	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
40	2206M140, Rm.125	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
41	2206M141, Rm.125	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
42	2206M142, Rm.125	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
43	2206M143, Rm.127	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
44	2206M144, Rm.127	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
45	2206M145, Rm.127	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
46	2206M146, Rm.G10 (NSG)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
47	2206M147, Rm.G10 (NSG)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
48	2206M149, Rm.G10 (MNV free colonies)	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
49	2206M150, Rm.G10 (MNV free colonies)	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
50	2206M151, Rm.G10 (MNV free colonies)	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
51	2206M152, Rm.G10 (NOD SCID)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
52	2206M153, Rm.G10 (NOD SCID)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female
53	2206M154, Rm.G10 (NOD SCID)	Mouse	n/d	Sentinel/ BALB/cAnN -nu (Nude/+)	Adult	Female

Test Results

Order #: **2022030572**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Ms. Lily Lee

Billing Information

Payment Method
Purchase Order PO#: 650988

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
27-May-2022	21-Jun-2022	23-Jun-2022

Notes

Lab. No. 2206R101-2206R103, Location: Minimal Disease Experimental Holding Area – (MDA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2022030572**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Ms. Lily Lee

Notes

Lab. No. 2206R101-2206R103, Location: Minimal Disease Experimental Holding Area – (MDA)

Serology

Results approved by Estevez, Rebecca on 23 Jun 2022

	<u>1</u> 2206R101, Rm.101	<u>2</u> 2206R102, Rm.101	<u>3</u> 2206R103, Rm.101
MFIA PVM	-	-	-
MFIA SDAV	-	-	-
MFIA KRV	-	-	-
MFIA H-1	-	-	-
MFIA RPV	-	-	-
MFIA RMV	-	-	-
MFIA NS-1	-	-	-
MFIA RTV	-	-	-
MFIA MPUL	-	-	-
MFIA CPIL	-	-	-
MFIA RPyV2 (Rat Polyomavirus)	-	-	-
MFIA Anti-Ig	P	P	P

Serology Profile: UHK MFIA Rat Selective Profile

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

Test Results

Order #: **2022030572**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong
Attn: Ms. Lily Lee

Notes

Lab. No. 2206R101-2206R103, Location: Minimal Disease Experimental Holding Area – (MDA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2206R101, Rm.101	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
2	2206R102, Rm.101	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
3	2206R103, Rm.101	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female

Test Results

Order #: **2022030582**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method
Purchase Order PO#: 650988

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
07-Jun-2022	21-Jun-2022	30-Jun-2022

Notes

Lab. No. 2206HM134, 2206HM146, 2206HM152, 2206SM134, 2206SM146 & 2206SM152, Location: Minimal Disease
Experimental Holding Area – (MDA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
H. hepaticus Helicobacter Screen PCR	n/d	3	1	0	0	0
H. mastomyrinus Helicobacter Screen PCR	n/d	3	1	0	0	0
H. typhlonius Helicobacter Screen PCR	n/d	3	1	0	0	0
Helicobacter genus Helicobacter Screen PCR	n/d	3	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2022030582**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2206HM134, 2206HM146, 2206HM152, 2206SM134, 2206SM146 & 2206SM152, Location: Minimal Disease
Experimental Holding Area – (MDA)

Molecular Diagnostics: Infectious Disease PCR

Results approved by Magan, Kyria on 30 Jun 2022

Helicobacter Screen PCR

	<u>1</u>	<u>2</u>	<u>3</u>
	2206HM134, 2206HM146, 2206HM152, Rm.118 (MN) Rm.G10 (NS) Rm.G10 (NO)		
<i>Helicobacter</i> genus	+	-	-
<i>H. bilis</i>	-	-	-
<i>H. ganmani</i>	-	-	-
<i>H. hepaticus</i>	+	-	-
<i>H. mastomyrinus</i>	+	-	-
<i>H. rodentium</i>	-	-	-
<i>H. typhlonius</i>	+	-	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2022030582**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2206HM134, 2206HM146, 2206HM152, 2206SM134, 2206SM146 & 2206SM152, Location: Minimal Disease
Experimental Holding Area – (MDA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2206HM134, Rm.118 (MNV unknown colonies)	Mouse	n/d	Resident		
2	2206HM146, Rm.G10 (NSG)	Mouse	n/d	Resident		
3	2206HM152, Rm.G10 (NOD SCID)	Mouse	n/d	Resident		

Test Results

Order #: **2022030781**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method
Purchase Order PO#: 650988

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
27-May-2022	21-Jun-2022	24-Jun-2022

Notes

Lab. No. 2206PM101-2206PM104 & 2206PM107-2206PM114 , Location: Minimal Disease Experimental Holding Area (MDA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2022030781**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2206PM101-2206PM104 & 2206PM107-2206PM114 , Location: Minimal Disease Experimental Holding Area (MDA)

Molecular Diagnostics: Infectious Disease PCR

Results approved by Peck, DiAnne on 24 Jun 2022

Assays

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>10</u>
	2206PM101, Rm.G10 (NS	2206PM102, Rm.G10 (NS	2206PM103, Rm.G10 (NO	2206PM104, Rm.G10 (NO	2206PM107, Rm.106	2206PM108, Rm.106	2206PM109, Rm.107	2206PM110, Rm.107	2206PM111, Rm.108	2206PM112, Rm.108
Pneumocystis PCR	-	-	-	-	-	-	-	-	-	-

	<u>11</u>	<u>12</u>
	2206PM113, Rm.109	2206PM114, Rm.109
Pneumocystis PCR	-	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2022030781**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2206PM101-2206PM104 & 2206PM107-2206PM114 , Location: Minimal Disease Experimental Holding Area (MDA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2206PM101, Rm.G10 (NSG)	Mouse	n/d	NOD.Cg-Prk dcscidII2rgt m1Wjl/SzJ (NSG)	5-6 weeks	
2	2206PM102, Rm.G10 (NSG)	Mouse	n/d	NOD.Cg-Prk dcscidII2rgt m1Wjl/SzJ (NSG)	5-6 weeks	
3	2206PM103, Rm.G10 (NOD SCID)	Mouse	n/d	NOD.CB17- Prkdcscid/J (NOD SCID)	5-6 weeks	
4	2206PM104, Rm.G10 (NOD SCID)	Mouse	n/d	NOD.CB17- Prkdcscid/J (NOD SCID)	5-6 weeks	
5	2206PM107, Rm.106	Mouse	n/d	Resident	5-6 weeks	
6	2206PM108, Rm.106	Mouse	n/d	Resident	5-6 weeks	
7	2206PM109, Rm.107	Mouse	n/d	Resident	5-6 weeks	
8	2206PM110, Rm.107	Mouse	n/d	Resident	5-6 weeks	
9	2206PM111, Rm.108	Mouse	n/d	Resident	5-6 weeks	
10	2206PM112, Rm.108	Mouse	n/d	Resident	5-6 weeks	
11	2206PM113, Rm.109	Mouse	n/d	Resident	5-6 weeks	
12	2206PM114, Rm.109	Mouse	n/d	Resident	5-6 weeks	

Test Results

Order #: **2022030783**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method
Purchase Order PO#: 650988

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date	Arrival Date	Approval Date
07-Jun-2022	21-Jun-2022	29-Jun-2022

Notes

Lab. No. 2206M160 (Interceptor), Location: Minimal Disease Experimental Holding Area (MDA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2022030783**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2206M160 (Interceptor), Location: Minimal Disease Experimental Holding Area (MDA)

Molecular Diagnostics: Infectious Disease PCR

Results approved by Magan, Kyria on 29 Jun 2022

UHK Mouse Quarantine PRIA

	1 2206M160, Rm.G10 (K1)
<i>Hantaan PCR</i>	-
<i>Hantaviruses New World PCR</i>	-
<i>LCMV PCR</i>	-
<i>LDV PCR</i>	-
<i>MAV 1 & 2 PCR</i>	-
<i>MCMV PCR</i>	-
<i>MHV PCR</i>	-
<i>MNV PCR</i>	-
<i>Mousepox (Ectromelia) PCR</i>	-
<i>Mouse Parvovirus (MPV/MVM) P</i>	-
<i>MRV (EDIM) PCR</i>	-
<i>MTLV PCR</i>	-
<i>POLY PCR</i>	-
<i>PVM PCR</i>	-
<i>REO PCR</i>	-
<i>SEND PCR</i>	-
<i>TMEV/GDVII PCR</i>	-
<i>Beta Strep Grp A PCR</i>	-
<i>Beta Strep Grp B PCR</i>	-
<i>Beta Strep Grp C PCR</i>	-
<i>Beta Strep Grp G PCR</i>	-
<i>B. bronchiseptica PCR</i>	-
<i>B. pseudohinzii PCR</i>	-
<i>Campylobacter Genus PCR</i>	-
<i>CAR Bacillus (F. rodentium) PCR</i>	-
<i>C. rodentium PCR</i>	-
<i>C. piliforme PCR</i>	-
<i>C. bovis PCR</i>	-
<i>C. kutscheri PCR</i>	-
<i>Helicobacter genus</i>	-
<i>H. bilis</i>	-
<i>H. hepaticus</i>	-
<i>K. oxytoca PCR</i>	-
<i>K. pneumoniae PCR</i>	-
<i>K Virus PCR</i>	-
<i>M. pulmonis PCR</i>	-

Test Results

Order #: **2022030783**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2206M160 (Interceptor), Location: Minimal Disease Experimental Holding Area (MDA)

Molecular Diagnostics: Infectious Disease PCR

Results approved by Magan, Kyria on 29 Jun 2022

	1 2206M160, Rm.G10 (K1)
<i>R. heylii</i> PCR	-
<i>R. pneumotropicus</i> PCR	-
<i>P. multocida</i> PCR	-
<i>P. mirabilis</i> PCR	-
<i>Salmonella</i> Genus PCR	-
<i>Ps. aeruginosa</i> PCR	-
<i>S. aureus</i> PCR	-
<i>S. moniliformis</i> PCR	-
<i>S. pneumoniae</i> PCR	-
<i>Toxoplasma gondii</i> PCR	-
<i>Y. enterocolitica</i> PCR	-
<i>Y. pseudotuberculosis</i> PCR	-
<i>Cryptosporidium</i> PCR	-
<i>Demodex</i> PCR	-
<i>Giardia</i> PCR	-
<i>E. cuniculi</i> PCR	-
<i>Entamoeba</i> PCR	-
<i>Mite</i> PCR	-
<i>Pinworm</i> PCR	-
<i>Pneumocystis</i> PCR	-
<i>Spirochete</i> muris PCR	-
<i>Tritrichomonas</i> genus PCR	-
<i>Astrovirus-1</i> PCR	-
<i>Astrovirus-2</i> PCR	-

Assays

	1 2206M160, Rm.G10 (K1)
<i>Chilomastix muris</i> PCR	-
<i>Hexamastix muris</i> PCR	-

Remarks

Test Results

Order #: **2022030783**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2206M160 (Interceptor), Location: Minimal Disease Experimental Holding Area (MDA)

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab_Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2022030783**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2206M160 (Interceptor), Location: Minimal Disease Experimental Holding Area (MDA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2206M160, Rm.G10 (K18-hACE2)	Mouse	n/d	K18-hACE2		