

Test Results

Order #: **2024060343**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060343

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
27-Nov-2024

Arrival Date
16-Dec-2024

Approval Date
18-Dec-2024

Notes

Lab. No. 2412M1-2412M15, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060343

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M1-2412M15, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Serology

Results approved by Oliveira, Kevin on 18 Dec 2024

	<u>1</u> 2412M1, Rm.207	<u>2</u> 2412M2, Rm.207	<u>3</u> 2412M3, Rm.207	<u>4</u> 2412M4, Rm.213 (6J)	<u>5</u> 2412M5, Rm.213 (6J)	<u>6</u> 2412M6, Rm.213 (6J)	<u>7</u> 2412M7, Rm.208 (6N)	<u>8</u> 2412M8, Rm.208 (6N)	<u>9</u> 2412M9, Rm.208 (6N)	<u>10</u> 2412M10, Rm.214
MFIA MHV	-	-	-	-	-	-	-	-	-	-
MFIA MVM	-	-	-	-	-	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-	-
MFIA MNV	-	-	-	-	-	-	-	-	-	-
MFIA GDVII	-	-	-	-	-	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P	P

	<u>11</u> 2412M11, Rm.214	<u>12</u> 2412M12, Rm.214	<u>13</u> 2412M13, Rm.215 (Old ICR)	<u>14</u> 2412M14, Rm.215 (Old ICR)	<u>15</u> 2412M15, Rm.215 (Old ICR)
MFIA MHV	-	-	-	-	-
MFIA MVM	-	-	-	-	-
MFIA MPV-1	-	-	-	-	-
MFIA MPV-2	-	-	-	-	-
MFIA MPV-5	-	-	-	-	-
MFIA NS-1	-	-	-	-	-
MFIA MNV	-	-	-	-	-
MFIA GDVII	-	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P

Serology Profile: UHK MFIA Mouse Selective Profile

Remarks

Test Results

Order #: **2024060343**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M1-2412M15, Location: Specific Pathogen Free Breeding Area– (SPFBA)

MFIA/IFA/ELISA/WIB Results:

- = Negative
+/- = Equivocal
+ = Moderate to strong positive
TC = Non-specific reaction with tissue control
I = Indeterminate or Inconclusive
IN = Interpreted as non-specific (MFIA result not confirmed by alternate serologic assay or diagnostic methodology)
PDG = Pending
QNS = Quantity not sufficient

The anti-immunoglobulin (Anti-Ig) MFIA control verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), is assigned if the MFI is below the cutoff which might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA control, then negative and borderline results in MFIA assays for microbial antibodies are considered Inconclusive because the testing is not valid.

Please contact Lab Services (labservices@crl.com) with questions about these interpretations.

Test Results

Order #: 2024060343

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M1-2412M15, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2412M1, Rm.207	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
2	2412M2, Rm.207	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
3	2412M3, Rm.207	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
4	2412M4, Rm.213 (6J)	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
5	2412M5, Rm.213 (6J)	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
6	2412M6, Rm.213 (6J)	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
7	2412M7, Rm.208 (6N)	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
8	2412M8, Rm.208 (6N)	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
9	2412M9, Rm.208 (6N)	Mouse	n/d	Sentinel/ CBA/Ca	Adult	Female
10	2412M10, Rm.214	Mouse	n/d	Sentinel/ BALB/c	Adult	Female
11	2412M11, Rm.214	Mouse	n/d	Sentinel/ BALB/c	Adult	Female
12	2412M12, Rm.214	Mouse	n/d	Sentinel/ BALB/c	Adult	Female
13	2412M13, Rm.215 (Old ICR)	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
14	2412M14, Rm.215 (Old ICR)	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female
15	2412M15, Rm.215 (Old ICR)	Mouse	n/d	Sentinel/ ICR (CD-1)	Adult	Female

Test Results

Order #: **2024060943**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060943

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
28-Nov-2024

Arrival Date
16-Dec-2024

Approval Date
19-Dec-2024

Notes

Lab. No. 2412R1-2412R9, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
IFA CPIL	n/d	4	3	0	0	0
MFIA CPIL	n/d	9	0	3	0	0
UHK MFIA Rat Selective Profile						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060943

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412R1-2412R9, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Serology

Results approved by Oliveira, Kevin on 19 Dec 2024

	<u>1</u> 2412R1, Rm.220	<u>2</u> 2412R2, Rm.220	<u>3</u> 2412R3, Rm.220	<u>4</u> 2412R4, Rm.222	<u>5</u> 2412R5, Rm.222	<u>6</u> 2412R6, Rm.222	<u>7</u> 2412R7, Rm.232	<u>8</u> 2412R8, Rm.232	<u>9</u> 2412R9, Rm.232
MFIA PVM	-	-	-	-	-	-	-	-	-
MFIA SDAV	-	-	-	-	-	-	-	-	-
MFIA KRV	-	-	-	-	-	-	-	-	-
MFIA H-1	-	-	-	-	-	-	-	-	-
MFIA RPV	-	-	-	-	-	-	-	-	-
MFIA RMV	-	-	-	-	-	-	-	-	-
MFIA NS-1	-	-	-	-	-	-	-	-	-
MFIA RTV	-	-	-	-	-	-	-	-	-
MFIA MPUL	-	-	-	-	-	-	-	-	-
MFIA CPIL	-	+/-	+/-	IN	-	-	-	-	+/-
MFIA RPyV2 (Rat Polyomavirus 2)	-	-	-	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P	P	P	P
IFA CPIL		+	+	-					+

Serology Profile: UHK MFIA Rat Selective Profile

Remarks

MFIA/IFA/ELISA/WIB Results:

- = Negative
- +/- = Equivocal
- + = Moderate to strong positive
- TC = Non-specific reaction with tissue control
- I = Indeterminate or Inconclusive
- IN = Interpreted as non-specific (MFIA result not confirmed by alternate serologic assay or diagnostic methodology)
- PDG = Pending
- QNS = Quantity not sufficient

The anti-immunoglobulin (Anti-Ig) MFIA control verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), is assigned if the MFI is below the cutoff which might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA control, then negative and borderline results in MFIA assays for microbial antibodies are considered Inconclusive because the testing is not valid.

Please contact Lab Services (labservices@crl.com) with questions about these interpretations.

Test Results

Order #: 2024060943

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412R1-2412R9, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2412R1, Rm.220	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
2	2412R2, Rm.220	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
3	2412R3, Rm.220	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
4	2412R4, Rm.222	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
5	2412R5, Rm.222	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
6	2412R6, Rm.222	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
7	2412R7, Rm.232	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
8	2412R8, Rm.232	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female
9	2412R9, Rm.232	Rat	n/d	Sentinel/ CD(SD)IGS (Sprague Dawley)	Adult	Female

Test Results

Order #: **2024060985**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060985

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
28-Nov-2024

Arrival Date
16-Dec-2024

Approval Date
18-Dec-2024

Notes

Lab. No. 2412H1-2412H3, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060985

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412H1-2412H3, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Serology

Results approved by Oliveira, Kevin on 18 Dec 2024

	1 2412H1, Rm.201	2 2412H2, Rm.201	3 2412H3, Rm.201
MFIA SEND	-	-	-
MFIA PVM	-	-	-
MFIA REO	-	-	-
MFIA LCMV	-	-	-
MFIA ECUN	-	-	-
MFIA PIV-5	-	-	-
MFIA CPIL	-	-	-
MFIA Anti-Ig	P	P	P

Serology Profile: UHK MFIA Hamster Full Profile

Remarks

MFIA/IFA/ELISA/WIB Results:

- = Negative
- +/- = Equivocal
- + = Moderate to strong positive
- TC = Non-specific reaction with tissue control
- I = Indeterminate or Inconclusive
- IN = Interpreted as non-specific (MFIA result not confirmed by alternate serologic assay or diagnostic methodology)
- PDG = Pending
- QNS = Quantity not sufficient

The anti-immunoglobulin (Anti-Ig) MFIA control verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), is assigned if the MFI is below the cutoff which might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA control, then negative and borderline results in MFIA assays for microbial antibodies are considered Inconclusive because the testing is not valid.

Please contact Lab Services (labservices@crl.com) with questions about these interpretations.

Test Results

Order #: **2024060985**

LTM Customer ID: 38307

The University of Hong Kong

U Hong Kong Ctr for Comparative Med

Research UHK

10A Sassoon Road

Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services

(CR RADS)

261 Ballardvale Street

Receiving Dock, Bldg 22

Wilmington MA 01887 USA

Notes

Lab. No. 2412H1-2412H3, Location: Specific Pathogen Free Breeding Area- (SPFBA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2412H1, Rm.201	Hamster (Mesocricet us auratus)	n/d	Sentinel/ AURA (Golden Syrian)	Adult	Male
2	2412H2, Rm.201	Hamster (Mesocricet us auratus)	n/d	Sentinel/ AURA (Golden Syrian)	Adult	Male
3	2412H3, Rm.201	Hamster (Mesocricet us auratus)	n/d	Sentinel/ AURA (Golden Syrian)	Adult	Male

Test Results

Order #: **2024060945**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060945

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
28-Nov-2024

Arrival Date
16-Dec-2024

Approval Date
20-Dec-2024

Notes

Lab. No. 2412Rb1-2412Rb6, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060945

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412Rb1-2412Rb6, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Serology

Results approved by Oliveira, Kevin on 20 Dec 2024

	<u>1</u> 2412Rb1, Rm.233	<u>2</u> 2412Rb2, Rm.233	<u>3</u> 2412Rb3, Rm.233	<u>4</u> 2412Rb4, Rm.233	<u>5</u> 2412Rb5, Rm.233	<u>6</u> 2412Rb6, Rm.233
MFIA ROTA	-	-	-	-	-	-
MFIA ECUN	-	-	-	-	-	-
MFIA CPIL	-	-	-	-	-	-
MFIA Anti-Ig	P	P	P	P	P	P
ELISA RHDV	-	-	-	-	-	-

Serology Profile: UHK MFIA Rabbit Selective Profile

Remarks

MFIA/IFA/ELISA/WIB Results:

- = Negative

+/- = Equivocal

+ = Moderate to strong positive

TC = Non-specific reaction with tissue control

I = Indeterminate or Inconclusive

IN = Interpreted as non-specific (MFIA result not confirmed by alternate serologic assay or diagnostic methodology)

PDG = Pending

QNS = Quantity not sufficient

The anti-immunoglobulin (Anti-Ig) MFIA control verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), is assigned if the MFI is below the cutoff which might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA control, then negative and borderline results in MFIA assays for microbial antibodies are considered Inconclusive because the testing is not valid.

Please contact Lab Services (labservices@crl.com) with questions about these interpretations.

Test Results

Order #: 2024060945

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412Rb1-2412Rb6, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2412Rb1, Rm.233	Rabbit	n/d	NZW, Breeder (3H)	DOB: 11.12.2023	Male
2	2412Rb2, Rm.233	Rabbit	n/d	NZW, Breeder (3D)	DOB: 4.12.2023	Male
3	2412Rb3, Rm.233	Rabbit	n/d	NZW, Lactating (2M)	DOB: 12.12.2022	Male
4	2412Rb4, Rm.233	Rabbit	n/d	NZW, Lactating (3I)	DOB: 14.11.2023	Male
5	2412Rb5, Rm.233	Rabbit	n/d	NZW, Stock (3D1)	DOB: 24.10.2023	Female
6	2412Rb6, Rm.233	Rabbit	n/d	NZW, Stock (3A1)	DOB: 22.1.2024	Female

Test Results

Order #: **2024060340**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060340

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
28-Nov-2024

Arrival Date
13-Dec-2024

Approval Date
24-Dec-2024

Notes

Lab. No. 2412Rb7, Location: Specific Pathogen Free Breeding Area (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
------	--------	--------	---	-----	---	-----

All results NEGATIVE

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060340

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412Rb7, Location: Specific Pathogen Free Breeding Area (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 24 Dec 2024

UHK Rabbit 23 Agent PRIA

1

2412Rb7,
Rm.233

Group A Rotavirus	-
LCMV PCR	-
Rabbit Hepatitis E Virus PCR	-
Rabbit Picobirnavirus PCR	-
B. bronchiseptica PCR	-
C. piliforme PCR	-
Helicobacter genus PCR	-
Lawsonia PCR	-
P. multocida PCR	-
Ps. aeruginosa PCR	-
Rabbit Respiratory-associated Helicobacter PCR	-
R. heylii PCR	-
R. pneumotropicus PCR	-
Salmonella Genus PCR	-
S. aureus PCR	-
Cryptosporidium PCR	-
Demodex PCR	-
E. cuniculi PCR	-
Entamoeba PCR	-
F. tularensis PCR	-
Giardia PCR	-
P. ambiguus PCR	-
Rabbit Eimeria PCR	-
Treponema PCR	-

Remarks

Test Results

Order #: **2024060340**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412Rb7, Location: Specific Pathogen Free Breeding Area (SPFBA)

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060340**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412Rb7, Location: Specific Pathogen Free Breeding Area (SPFBA)

Sample Information

Number	Code	Species	Colony	Age	Sex	Strain
1	2412Rb7, Rm.233	Rabbit	n/d			NZW (New Zealand White)

Test Results

Order #: **2024060279**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060279

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
02-Dec-2024

Arrival Date
13-Dec-2024

Approval Date
23-Dec-2024

Notes

Lab. No. 2412M31 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
Astrovirus-1 PCR UHK Mouse Quarantine PRIA	n/d	1	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060279

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M31 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 23 Dec 2024

UHK Mouse Quarantine PRIA

1
2412M31,
Rm.204
(IVC Nude)

Astrovirus-1 PCR	+
Astrovirus-2 PCR	-
Hantaan PCR	-
Hantaviruses New World PCR	-
LCMV PCR	-
LDV PCR	-
MAV 1 & 2 PCR	-
MCMV PCR	-
MHV PCR	-
MNV PCR	-
Mousepox (Ectromelia) PCR	-
Mouse Parvovirus (MPV/MVM) PCR	-
MRV (EDIM) PCR	-
MTLV PCR	-
Rodent Chaphamaparvovirus 1 (MuCPV/MKPV PCR	-
POLY PCR	-
PVM PCR	-
REO PCR	-
SEND PCR	-
TMEV/GDVII PCR	-
Beta Strep Grp A PCR	-
Beta Strep Grp B PCR	-
Beta Strep Grp C PCR	-
Beta Strep Grp G PCR	-
B. bronchiseptica PCR	-
B. pseudohinzii PCR	-
Campylobacter Genus PCR	-
C. rodentium PCR	-
C. piliforme PCR	-

Test Results

Order #: 2024060279

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M31 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 23 Dec 2024

UHK Mouse Quarantine PRIA (continued)

1

2412M31,
Rm.204
(IVC Nude)

<i>C. bovis</i> PCR	-
<i>C. kutscheri</i> PCR	-
<i>Filobacterium rodentium</i> (CAR <i>Bacillus</i>) PCR	-
<i>Helicobacter</i> genus PCR	-
<i>H. bilis</i>	-
<i>H. hepaticus</i>	-
<i>K. oxytoca</i> PCR	-
<i>K. pneumoniae</i> PCR	-
<i>K</i> Virus PCR	-
<i>M. pulmonis</i> PCR	-
<i>R. heyltii</i> PCR	-
<i>R. pneumotropicus</i> PCR	-
<i>P. multocida</i> PCR	-
<i>P. mirabilis</i> PCR	-
<i>Salmonella</i> Genus PCR	-
<i>Ps. aeruginosa</i> PCR	-
<i>S. aureus</i> PCR	-
<i>S. moniliformis</i> PCR	-
<i>S. pneumoniae</i> PCR	-
<i>Toxoplasma gondii</i> PCR	-
<i>Y. enterocolitica</i> PCR	-
<i>Y. pseudotuberculosis</i> PCR	-
<i>Cryptosporidium</i> PCR	-
<i>Chilomastix muris</i> PCR	-
<i>Demodex</i> PCR	-
<i>E. cuniculi</i> PCR	-
<i>Entamoeba</i> PCR	-
<i>Giardia</i> PCR	-
<i>Mite</i> PCR	-
<i>Pinworm</i> PCR	-

Test Results

Order #: 2024060279

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M31 (Interceptor), Location: Specific Pathogen Free Breeding Area– (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 23 Dec 2024

UHK Mouse Quarantine PRIA (continued)

1

2412M31,
Rm.204
(IVC Nude)

<i>Pneumocystis</i> PCR	-
<i>Hexamastix muris</i> PCR	-
<i>Spironucleus muris</i> PCR	-
<i>Tritrichomonas</i> genus PCR	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060279**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M31 (Interceptor), Location: Specific Pathogen Free Breeding Area– (SPFBA)

Sample Information

Number	Code	Species	Colony	Age	Sex	Strain
1	2412M31, Rm.204 (IVC Nude)	Mouse	n/d			IVC Nude

Test Results

Order #: **2024060280**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060280

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
02-Dec-2024

Arrival Date
13-Dec-2024

Approval Date
23-Dec-2024

Notes

Lab. No. 2412M32 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
Astrovirus-1 PCR UHK Mouse Quarantine PRIA	n/d	1	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060280

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M32 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 23 Dec 2024

UHK Mouse Quarantine PRIA

1
2412M32,
Rm.204
(IVC SCID)

Astrovirus-1 PCR	+
Astrovirus-2 PCR	-
Hantaan PCR	-
Hantaviruses New World PCR	-
LCMV PCR	-
LDV PCR	-
MAV 1 & 2 PCR	-
MCMV PCR	-
MHV PCR	-
MNV PCR	-
Mousepox (Ectromelia) PCR	-
Mouse Parvovirus (MPV/MVM) PCR	-
MRV (EDIM) PCR	-
MTLV PCR	-
Rodent Chaphamaparvovirus 1 (MuCPV/MKPV PCR	-
POLY PCR	-
PVM PCR	-
REO PCR	-
SEND PCR	-
TMEV/GDVII PCR	-
Beta Strep Grp A PCR	-
Beta Strep Grp B PCR	-
Beta Strep Grp C PCR	-
Beta Strep Grp G PCR	-
B. bronchiseptica PCR	-
B. pseudohinzii PCR	-
Campylobacter Genus PCR	-
C. rodentium PCR	-
C. piliforme PCR	-

Test Results

Order #: 2024060280

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M32 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 23 Dec 2024

UHK Mouse Quarantine PRIA (continued)

1

2412M32,
Rm.204
(IVC SCID)

<i>C. bovis</i> PCR	-
<i>C. kutscheri</i> PCR	-
<i>Filobacterium rodentium</i> (CAR <i>Bacillus</i>) PCR	-
<i>Helicobacter</i> genus PCR	-
<i>H. bilis</i>	-
<i>H. hepaticus</i>	-
<i>K. oxytoca</i> PCR	-
<i>K. pneumoniae</i> PCR	-
<i>K</i> Virus PCR	-
<i>M. pulmonis</i> PCR	-
<i>R. heyltii</i> PCR	-
<i>R. pneumotropicus</i> PCR	-
<i>P. multocida</i> PCR	-
<i>P. mirabilis</i> PCR	-
<i>Salmonella</i> Genus PCR	-
<i>Ps. aeruginosa</i> PCR	-
<i>S. aureus</i> PCR	-
<i>S. moniliformis</i> PCR	-
<i>S. pneumoniae</i> PCR	-
<i>Toxoplasma gondii</i> PCR	-
<i>Y. enterocolitica</i> PCR	-
<i>Y. pseudotuberculosis</i> PCR	-
<i>Cryptosporidium</i> PCR	-
<i>Chilomastix muris</i> PCR	-
<i>Demodex</i> PCR	-
<i>E. cuniculi</i> PCR	-
<i>Entamoeba</i> PCR	-
<i>Giardia</i> PCR	-
<i>Mite</i> PCR	-
<i>Pinworm</i> PCR	-

Test Results

Order #: 2024060280

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M32 (Interceptor), Location: Specific Pathogen Free Breeding Area– (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 23 Dec 2024

UHK Mouse Quarantine PRIA (continued)

1

2412M32,
Rm.204
(IVC SCID)

<i>Pneumocystis</i> PCR	-
<i>Hexamastix muris</i> PCR	-
<i>Spironucleus muris</i> PCR	-
<i>Tritrichomonas</i> genus PCR	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060280**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M32 (Interceptor), Location: Specific Pathogen Free Breeding Area– (SPFBA)

Sample Information

Number	Code	Species	Colony	Age	Sex	Strain
1	2412M32, Rm.204 (IVC SCID)	Mouse	n/d			IVC SCID

Test Results

Order #: **2024060287**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060287

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
02-Dec-2024

Arrival Date
13-Dec-2024

Approval Date
20-Dec-2024

Notes

Lab. No. 2412M33 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060287

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M33 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 20 Dec 2024

UHK Mouse Quarantine PRIA

1

2412M33,
Rm.205
(IVC
2020ICR)

Astrovirus-1 PCR	-
Astrovirus-2 PCR	-
Hantaan PCR	-
Hantaviruses New World PCR	-
LCMV PCR	-
LDV PCR	-
MAV 1 & 2 PCR	-
MCMV PCR	-
MHV PCR	-
MNV PCR	-
Mousepox (Ectromelia) PCR	-
Mouse Parvovirus (MPV/MVM) PCR	-
MRV (EDIM) PCR	-
MTLV PCR	-
Rodent Chaphamaparvovirus 1 (MuCPV/MKPV PCR	-
POLY PCR	-
PVM PCR	-
REO PCR	-
SEND PCR	-
TMEV/GDVII PCR	-
Beta Strep Grp A PCR	-
Beta Strep Grp B PCR	-
Beta Strep Grp C PCR	-
Beta Strep Grp G PCR	-
B. bronchiseptica PCR	-
B. pseudohinzii PCR	-
Campylobacter Genus PCR	-
C. rodentium PCR	-

Test Results

Order #: 2024060287

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M33 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 20 Dec 2024

UHK Mouse Quarantine PRIA (continued)

1

2412M33,
Rm.205
(IVC
2020ICR)

<i>C. piliforme</i> PCR	-
<i>C. bovis</i> PCR	-
<i>C. kutscheri</i> PCR	-
<i>Filobacterium rodentium</i> (CAR Bacillus) PCR	-
<i>Helicobacter</i> genus PCR	-
<i>H. bilis</i>	-
<i>H. hepaticus</i>	-
<i>K. oxytoca</i> PCR	-
<i>K. pneumoniae</i> PCR	-
<i>K Virus</i> PCR	-
<i>M. pulmonis</i> PCR	-
<i>R. heyltii</i> PCR	-
<i>R. pneumotropicus</i> PCR	-
<i>P. multocida</i> PCR	-
<i>P. mirabilis</i> PCR	-
<i>Salmonella</i> Genus PCR	-
<i>Ps. aeruginosa</i> PCR	-
<i>S. aureus</i> PCR	-
<i>S. moniliformis</i> PCR	-
<i>S. pneumoniae</i> PCR	-
<i>Toxoplasma gondii</i> PCR	-
<i>Y. enterocolitica</i> PCR	-
<i>Y. pseudotuberculosis</i> PCR	-
<i>Cryptosporidium</i> PCR	-
<i>Chilomastix muris</i> PCR	-
<i>Demodex</i> PCR	-
<i>E. cuniculi</i> PCR	-
<i>Entamoeba</i> PCR	-
<i>Giardia</i> PCR	-

Test Results

Order #: 2024060287

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M33 (Interceptor), Location: Specific Pathogen Free Breeding Area– (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 20 Dec 2024

UHK Mouse Quarantine PRIA (continued)

1

2412M33,
Rm.205
(IVC
2020ICR)

Mite PCR	-
Pinworm PCR	-
Pneumocystis PCR	-
Hexamastix muris PCR	-
Spiroplasma muris PCR	-
Tritrichomonas genus PCR	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060287**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M33 (Interceptor), Location: Specific Pathogen Free Breeding Area– (SPFBA)

Sample Information

Number	Code	Species	Colony	Age	Sex	Strain
1	2412M33, Rm.205 (IVC 2020ICR)	Mouse	n/d			IVC 2020ICR

Test Results

Order #: 2024060289

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060289

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date

02-Dec-2024

Arrival Date

13-Dec-2024

Approval Date

26-Dec-2024

Notes

Lab. No. 2412M34 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
Astrovirus-1 PCR	n/d	1	1	0	0	0
UHK Mouse Quarantine PRIA						
Hexamastix muris PCR	n/d	1	1	0	0	0
UHK Mouse Quarantine PRIA						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting

http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060289

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M34 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 26 Dec 2024

UHK Mouse Quarantine PRIA

1
2412M34,
Rm.206
(IVC Nude)

Astrovirus-1 PCR	+
Astrovirus-2 PCR	-
Hantaan PCR	-
Hantaviruses New World PCR	-
LCMV PCR	-
LDV PCR	-
MAV 1 & 2 PCR	-
MCMV PCR	-
MHV PCR	-
MNV PCR	-
Mousepox (Ectromelia) PCR	-
Mouse Parvovirus (MPV/MVM) PCR	-
MRV (EDIM) PCR	-
MTLV PCR	-
Rodent Chaphamaparvovirus 1 (MuCPV/MKPV PCR	-
POLY PCR	-
PVM PCR	-
REO PCR	-
SEND PCR	-
TMEV/GDVII PCR	-
Beta Strep Grp A PCR	-
Beta Strep Grp B PCR	-
Beta Strep Grp C PCR	-
Beta Strep Grp G PCR	-
B. bronchiseptica PCR	-
B. pseudohinzii PCR	-
Campylobacter Genus PCR	-
C. rodentium PCR	-
C. piliforme PCR	-

Test Results

Order #: 2024060289

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M34 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 26 Dec 2024

UHK Mouse Quarantine PRIA (continued)

1

2412M34,
Rm.206
(IVC Nude)

<i>C. bovis</i> PCR	-
<i>C. kutscheri</i> PCR	-
<i>Filobacterium rodentium</i> (CAR <i>Bacillus</i>) PCR	-
<i>Helicobacter</i> genus PCR	-
<i>H. bilis</i>	-
<i>H. hepaticus</i>	-
<i>K. oxytoca</i> PCR	-
<i>K. pneumoniae</i> PCR	-
<i>K</i> Virus PCR	-
<i>M. pulmonis</i> PCR	-
<i>R. heyltii</i> PCR	-
<i>R. pneumotropicus</i> PCR	-
<i>P. multocida</i> PCR	-
<i>P. mirabilis</i> PCR	-
<i>Salmonella</i> Genus PCR	-
<i>Ps. aeruginosa</i> PCR	-
<i>S. aureus</i> PCR	-
<i>S. moniliformis</i> PCR	-
<i>S. pneumoniae</i> PCR	-
<i>Toxoplasma gondii</i> PCR	-
<i>Y. enterocolitica</i> PCR	-
<i>Y. pseudotuberculosis</i> PCR	-
<i>Cryptosporidium</i> PCR	-
<i>Chilomastix muris</i> PCR	-
<i>Demodex</i> PCR	-
<i>E. cuniculi</i> PCR	-
<i>Entamoeba</i> PCR	-
<i>Giardia</i> PCR	-
<i>Mite</i> PCR	-
<i>Pinworm</i> PCR	-

Test Results

Order #: 2024060289

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M34 (Interceptor), Location: Specific Pathogen Free Breeding Area– (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 26 Dec 2024

UHK Mouse Quarantine PRIA (continued)

1

2412M34,
Rm.206
(IVC Nude)

Pneumocystis PCR	-
Hexamastix muris PCR	+
Spironucleus muris PCR	-
Tritrichomonas genus PCR	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060289**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M34 (Interceptor), Location: Specific Pathogen Free Breeding Area– (SPFBA)

Sample Information

Number	Code	Species	Colony	Age	Sex	Strain
1	2412M34, Rm.206 (IVC Nude)	Mouse	n/d			IVC Nude

Test Results

Order #: **2024060290**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060290

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
02-Dec-2024

Arrival Date
13-Dec-2024

Approval Date
23-Dec-2024

Notes

Lab. No. 2412M35 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
Astrovirus-1 PCR UHK Mouse Quarantine PRIA	n/d	1	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060290

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M35 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 23 Dec 2024

UHK Mouse Quarantine PRIA

1

2412M35,
Rm.212
(IVC
2023ICR)

Astrovirus-1 PCR	+
Astrovirus-2 PCR	-
Hantaan PCR	-
Hantaviruses New World PCR	-
LCMV PCR	-
LDV PCR	-
MAV 1 & 2 PCR	-
MCMV PCR	-
MHV PCR	-
MNV PCR	-
Mousepox (Ectromelia) PCR	-
Mouse Parvovirus (MPV/MVM) PCR	-
MRV (EDIM) PCR	-
MTLV PCR	-
Rodent Chaphamaparvovirus 1 (MuCPV/MKPV PCR	-
POLY PCR	-
PVM PCR	-
REO PCR	-
SEND PCR	-
TMEV/GDVII PCR	-
Beta Strep Grp A PCR	-
Beta Strep Grp B PCR	-
Beta Strep Grp C PCR	-
Beta Strep Grp G PCR	-
B. bronchiseptica PCR	-
B. pseudohinzii PCR	-
Campylobacter Genus PCR	-
C. rodentium PCR	-

Test Results

Order #: 2024060290

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M35 (Interceptor), Location: Specific Pathogen Free Breeding Area– (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 23 Dec 2024

UHK Mouse Quarantine PRIA (continued)

1

2412M35,
Rm.212
(IVC
2023ICR)

<i>C. piliforme</i> PCR	-
<i>C. bovis</i> PCR	-
<i>C. kutscheri</i> PCR	-
<i>Filobacterium rodentium</i> (CAR Bacillus) PCR	-
<i>Helicobacter</i> genus PCR	-
<i>H. bilis</i>	-
<i>H. hepaticus</i>	-
<i>K. oxytoca</i> PCR	-
<i>K. pneumoniae</i> PCR	-
<i>K Virus</i> PCR	-
<i>M. pulmonis</i> PCR	-
<i>R. heyltii</i> PCR	-
<i>R. pneumotropicus</i> PCR	-
<i>P. multocida</i> PCR	-
<i>P. mirabilis</i> PCR	-
<i>Salmonella</i> Genus PCR	-
<i>Ps. aeruginosa</i> PCR	-
<i>S. aureus</i> PCR	-
<i>S. moniliformis</i> PCR	-
<i>S. pneumoniae</i> PCR	-
<i>Toxoplasma gondii</i> PCR	-
<i>Y. enterocolitica</i> PCR	-
<i>Y. pseudotuberculosis</i> PCR	-
<i>Cryptosporidium</i> PCR	-
<i>Chilomastix muris</i> PCR	-
<i>Demodex</i> PCR	-
<i>E. cuniculi</i> PCR	-
<i>Entamoeba</i> PCR	-
<i>Giardia</i> PCR	-

Test Results

Order #: 2024060290

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M35 (Interceptor), Location: Specific Pathogen Free Breeding Area– (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 23 Dec 2024

UHK Mouse Quarantine PRIA (continued)

1

2412M35,
Rm.212
(IVC
2023ICR)

Mite PCR	-
Pinworm PCR	-
Pneumocystis PCR	-
Hexamastix muris PCR	-
Spiroplasma muris PCR	-
Tritrichomonas genus PCR	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060290**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M35 (Interceptor), Location: Specific Pathogen Free Breeding Area– (SPFBA)

Sample Information

Number	Code	Species	Colony	Age	Sex	Strain
1	2412M35, Rm.212 (IVC 2023ICR)	Mouse	n/d			IVC 2023ICR

Test Results

Order #: 2024060948

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060948

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
04-Dec-2024

Arrival Date
13-Dec-2024

Approval Date
27-Dec-2024

Notes

Lab. No. 2412M36, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
Clostridioides difficile - Binary Toxin (CDT)	n/d	1	1	0	0	0
Clostridioides difficile Toxin Panel						
Clostridioides difficile - Toxin A	n/d	1	1	0	0	0
Clostridioides difficile Toxin Panel						
Clostridioides difficile - Toxin B	n/d	1	1	0	0	0
Clostridioides difficile Toxin Panel						
Clostridium difficile PCR	n/d	1	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060948

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M36, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 27 Dec 2024

Clostridioides difficile Toxin Panel

1

2412M36,
Rm.207

<i>Clostridioides difficile</i> - Toxin A	+
<i>Clostridioides difficile</i> - Toxin B	+
<i>Clostridioides difficile</i> - Binary Toxin (CDT)	+

Assays

1

2412M36,
Rm.207

<i>Clostridium difficile</i> PCR	+
----------------------------------	---

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060948**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M36, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Sample Information

Number	Code	Species	Colony	Age	Sex	Strain
1	2412M36, Rm.207	Mouse	n/d			C57BL/6N

Test Results

Order #: 2024060989

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060989

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
04-Dec-2024

Arrival Date
13-Dec-2024

Approval Date
27-Dec-2024

Notes

Lab. No. 2412M37, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
Clostridioides difficile - Binary Toxin (CDT)	n/d	1	1	0	0	0
Clostridioides difficile Toxin Panel						
Clostridioides difficile - Toxin A	n/d	1	1	0	0	0
Clostridioides difficile Toxin Panel						
Clostridioides difficile - Toxin B	n/d	1	1	0	0	0
Clostridioides difficile Toxin Panel						
Clostridium difficile PCR	n/d	1	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060989

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M37, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 27 Dec 2024

Clostridioides difficile Toxin Panel

1

2412M37,
Rm.208

<i>Clostridioides difficile</i> - Toxin A	+
<i>Clostridioides difficile</i> - Toxin B	+
<i>Clostridioides difficile</i> - Binary Toxin (CDT)	+

Assays

1

2412M37,
Rm.208

<i>Clostridium difficile</i> PCR	+
----------------------------------	---

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060989**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M37, Location: Specific Pathogen Free Breeding Area– (SPFBA)

Sample Information

Number	Code	Species	Colony	Age	Sex	Strain
1	2412M37, Rm.208	Mouse	n/d			C57BL/6N

Test Results

Order #: **2024060951**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060951

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
04-Dec-2024

Arrival Date
13-Dec-2024

Approval Date
26-Dec-2024

Notes

Lab. No. 2412M38, Location: Specific Pathogen Free Breeding Area (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060951

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M38, Location: Specific Pathogen Free Breeding Area (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 26 Dec 2024

Assays

1

2412M38,
Rm.209 +
Rm.213

Clostridium difficile PCR

-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060951**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M38, Location: Specific Pathogen Free Breeding Area (SPFBA)

Sample Information

Number	Code	Species	Colony	Age	Sex	Strain
1	2412M38, Rm.209 + Rm.213	Mouse	n/d			C57BL/6J

Test Results

Order #: **2024060949**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060949

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
26-Nov-2024

Arrival Date
13-Dec-2024

Approval Date
26-Dec-2024

Notes

Lab. No. 2412M39, Location: Specific Pathogen Free Breeding Area (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060949

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M39, Location: Specific Pathogen Free Breeding Area (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 26 Dec 2024

Assays

1	
2412M39,	
Rm.205	
(IVC	
2020ICR)	
Astrovirus-1 PCR	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060949**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADs)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M39, Location: Specific Pathogen Free Breeding Area (SPFBA)

Sample Information

Number	Code	Species	Colony	Age	Sex	Strain
1	2412M39, Rm.205 (IVC 2020ICR)	Mouse	n/d			IVC 2020ICR

Test Results

Order #: **2024060342**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060342

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
02-Dec-2024

Arrival Date
13-Dec-2024

Approval Date
27-Dec-2024

Notes

Lab. No. 2412M44 (Interceptor), Location: Specific Pathogen Free Breeding Area- (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
Astrovirus-1 PCR	n/d	1	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060342

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M44 (Interceptor), Location: Specific Pathogen Free Breeding Area– (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 27 Dec 2024

Assays

1 2412M44, Rm.212 (Test #3)	
Astrovirus-1 PCR	+

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060342**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M44 (Interceptor), Location: Specific Pathogen Free Breeding Area-- (SPFBA)

Sample Information

Number	Code	Species	Colony	Strain	Age	Sex
1	2412M44, Rm.212 (Test #3)	Mouse	n/d	IVC 2023ICR		

Test Results

Order #: **2024060983**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060983

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
02-Dec-2024

Arrival Date
13-Dec-2024

Approval Date
27-Dec-2024

Notes

Lab. No. 2412M45 (Interceptor), Location: Specific Pathogen Free Breeding Area (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
Astrovirus-1 PCR	n/d	1	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060983

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M45 (Interceptor), Location: Specific Pathogen Free Breeding Area (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 27 Dec 2024

Assays

1	
2412M45,	
Rm.212	
(Test #2)	
Astrovirus-1 PCR	+

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060983**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M45 (Interceptor), Location: Specific Pathogen Free Breeding Area (SPFBA)

Sample Information

Number	Code	Species	Colony	Age	Sex	Strain
1	2412M45, Rm.212 (Test #2)	Mouse	n/d			IVC 2023ICR

Test Results

Order #: **2024060984**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Billing Information

Payment Method

Purchase Order PO#: Covering Invoice for
#2024060984

University of Hong Kong
10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Details

Sample(s) from: NULL

Collection Date
02-Dec-2024

Arrival Date
13-Dec-2024

Approval Date
24-Dec-2024

Notes

Lab. No. 2412M46 (Interceptor), Location: Specific Pathogen Free Breeding Area (SPFBA)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: 2024060984

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

Lab. No. 2412M46 (Interceptor), Location: Specific Pathogen Free Breeding Area (SPFBA)

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 24 Dec 2024

Assays

1	
2412M46,	
Rm.212	
(Test #1)	
Astrovirus-1 PCR	-

Remarks

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact LabServices@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024060984**

LTM Customer ID: 38307
The University of Hong Kong
U Hong Kong Ctr for Comparative Med
Research UHK

Charles River Research Animal Diagnostic Services
(CR RADS)
261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

10A Sassoon Road
Pokfulam, HK 0 Hong Kong

Notes

Lab. No. 2412M46 (Interceptor), Location: Specific Pathogen Free Breeding Area (SPFBA)

Sample Information

Number	Code	Species	Colony	Age	Sex	Strain
1	2412M46, Rm.212 (Test #1)	Mouse	n/d			IVC 2023ICR